FINAL REPORT

VINELAND CHEMICAL SUPERFUND SITE: PHASE V SEDIMENT SAMPLING VINELAND, NEW JERSEY

Prepared for:



U.S. Army Corps of Engineers, Philadelphia District Wanamaker Building 100 Penn Square East Philadelphia, Pennsylvania 19107

Prepared by:



EA Engineering, Science, and Technology, Inc. 15 Loveton Circle Sparks, Maryland 21152 (410) 771-4950

February 2011

EA Project No. 62305.01



3.	RES	ULTS		3-1
	3.1	Sedim	nent (River)	3-1
	3.2		Shoreline)	
	3.3	QA / (QC Results	3-2
		3.3.1	Field Duplicates	
			MS/MSD Samples	
			Completeness	
4.	REF	ERENC	ŒS	4- 1
A DE	FNDIX	Δ· Δns	alytical Results Chain-of Custody (COC) Fort	ns for Arsenic Analyses and

Field Documentation (Logbook)

LIST OF FIGURES

<u>Number</u>	<u>Title</u>		
1-1	Vineland Chemical Superfund Site Location Map, Cumberland County, NJ		
1-2	Maurice River Phase V Sample Locations		
3-1	Maurice River Phase V Arsenic Concentrations, 0 to 6 inches		
3-2	Maurice River Phase V Arsenic Concentrations, 6 to 12 inches		

LIST OF TABLES

<u>Number</u>	<u>Title</u>
2-1	Sediment and Soil Location Information
2-2	Phase V Sampling - Duplicate and Matrix Spike/Matrix Spike Duplicate Samples
3-1	Phase V Arsenic Results – 0 inches to 6 inches Depth
3-2	Phase V Arsenic Results - 6 inches to 12 inches Depth
3-3	Arsenic Concentrations (mg/Kg) in Phase V Sampling – Duplicate Samples

LIST OF ABBREVIATIONS, ACRONYMS, AND UNITS

ADR Automated Data Review

ASTM American Society for Testing and Materials

°C Degrees Celsius COC Chain of Custody

DESA Division of Environmental Science and Assessment

DGPS Differential Global Positioning System

EA Engineering, Science, and Technology, Inc.

EDDs Electronic Data Deliverables

EM Engineer Manual

ft Foot/Feet

HNO₃ Nitric acid

in Inch(es)

MDL Method Detection Limit

mg/Kg Milligram(s) Per Kilogram (ppm)

mg/L Milligram(s) Per Liter

mL Milliliter(s)

MS/MSD Matrix Spike/Matrix Spike Duplicate

NAD83 North American Datum 1983

NJ New Jersey ND Non-detect

ppb Part(s) Per Billion (μg/kg or μg/L)
ppm Part(s) Per Million (mg/Kg or mg/L)
ppt Part(s) Per Thousand (g/kg or g/L)

QA Quality Assurance QC Quality Control

RL Reporting Limit
ROD Record of Decision

SOP Standard Operating Procedure

μg/L Microgram(s) Per Liter (ppb)

μm Micrometer(s)

USACE U.S. Army Corps of Engineers

USEPA U.S. Environmental Protection Agency

1. INTRODUCTION

This December 2010 Phase V data report presents arsenic concentrations in sediment and soils from the Maurice River downstream from the Vineland Chemical Company Superfund Site in Cumberland County, New Jersey (NJ). The Phase V sediment and soil sampling was conducted at 66 locations from 12 through 14 April 2010. These data will be used to document the instream and shoreline arsenic concentrations along an 800 ft length of the Maurice River that has been impacted by previous operations at the site. Results for soils and sediments will be compared to the Site Clean-up Level of 20 parts per million (ppm or mg/Kg).

1.1 PROJECT BACKGROUND

Previous studies have shown that the Vineland Chemical Company Superfund Site (site) has affected arsenic contamination in the soils, sediments, and ground water. The site manufactured arsenic-based herbicides from 1950 to 1994 on a 54-acre site in a residential and industrial area of the City of Vineland, NJ. The site is located adjacent and upstream from nearby waterways that include the Blackwater Branch, Maurice River, and Union Lake (Figure 1-1). The soil, sediment, and water of these waterbodies have been impacted by the operations of the site. Beginning in 1982, and in response to State actions, the Vineland Chemical Company instituted some cleanup actions and modified the production process. The site clean-up is being addressed in two stages, including immediate actions and long-term remedial phases. Four long-term, remedial phases focus on source control, migration management, and cleanup of the rivers and Union Lake sediments, which was the subject of a Record of Decision (ROD) in 1989 (USEPA 1989). The current phase of remediation at the site involves removing the contaminated soils/sediments of the Blackwater Branch and the floodplain west of Mill Road to west of the Maurice River Parkway. Future remediation efforts will focus further downstream on the Blackwater Branch and into the Maurice River below the confluence.

1.2 PROJECT LOCATION

The Vineland Chemical site is a 54-acre manufacturing facility located in Vineland, Cumberland County, NJ (Figure 1-1). The site is located in south-central NJ, approximately 40 miles from Wilmington, Delaware and approximately 35 miles from Atlantic City, NJ. The facility was involved in the production of arsenical herbicides, fungicides, and biocides since 1949. Arsenical feedstock compounds were historically stored in unprotected piles. This resulted in soil and groundwater contamination in the vicinity of the site. Runoff during storm events and the recharge of arsenic-bearing groundwater has contaminated the adjacent watershed, including nearby waterways such as Blackwater Branch, Maurice River, and Union Lake.

Phase V sediment and soil sampling was conducted at 66 locations in the Maurice River approximately 1.1 miles downstream from the Vineland Chemical site (Figure 1-2).

1.3 PROJECT PURPOSE AND OBJECTIVES

Determination of arsenic concentrations in the Phase V sediment and soil is necessary in order to provide information about environmental conditions at the site and to assist with the design of future remediation initiatives.

The sediment sampling program consisted of the following tasks:

- Sediment and soil sample collection at 66 locations (23 locations within in the Maurice River and 43 locations along the shoreline of the Maurice River);
- Analysis of arsenic in soil and sediment samples at two depth intervals (0-6 inches below sediment and soil surface and 6-12 inches below sediment and soil surface).
- Data report preparation and submittal.

1.4 EXPERIMENTAL DESIGN

The executing agency for this project is the U.S. Army Corps of Engineers (USACE), North Atlantic Division, Philadelphia District. This investigation was designed to identify, analyze, and evaluate the arsenic concentrations in sediments and soils collected at 66 locations along the Maurice River, located downstream from the site. EA Engineering, Science, and Technology, Inc. (EA) was contracted by the USACE - Philadelphia District to conduct sediment and soil sampling along a section of the Maurice River. Arsenic concentrations in each of the samples were measured by the USEPA Region II Laboratory located in Edison, NJ. The Uniform Federal Policy/Quality Assurance Project Plan (UFP/QAPP) (USACE 2009) described the sampling and data-gathering methods utilized for the project and followed guidance provided by the USACE Engineer Manual (EM) 200-1-3 Requirements for Preparation of Sampling and Analysis Plans (2001).

1.5 REPORT ORGANIZATION

This report contains a summary of field activities and the results of the sediment and soil analyses. Field sampling techniques and analytical methodologies for arsenic analyses are provided in Chapter 2 and results of the arsenic analyses are provided in Chapter 3. References cited are provided in Chapter 4. Appendix A presents the analytical results, accompanying Chain-of-Custody (COC) forms, and a copy of the field logbook.




Figure 1-1. Vineland Chemical Superfund Site Location Map, Cumberland County, NJ

2. METHODOLOGY

Phase V sediment and soil sampling was conducted in accordance with the *Uniform Federal Policy/Quality Assurance Project Plan (UFP/QAPP)* (USACE 2009). Collection of the sediment and soil samples was completed on 12, 13, and 14 April 2010.

2.1 SAMPLING OBJECTIVES

Sixty-six (66) locations were sampled for sediment and soil collection. Of the 66 locations, 23 sediment samples were collected in mid-channel (instream) sections of the Maurice River. The remaining 43 soil samples were collected on the shoreline and banks of the Maurice River. The study area encompassed an approximate 800 ft length of the Maurice River downstream from the confluence with the Blackwater Branch and the Vineland Chemical site. Target sample recovery was 1 ft below sediment and soil surface; sediment and soil collected was sub-sectioned to produce two depth interval samples (0-6 inches below sediment and soil surface and 6-12 inches below sediment and soil surface).

2.2 SAMPLING LOCATION DETERMINATION

Sampling locations were provided by USACE-Philadelphia District. Figure 1-2 shows the sample locations along the Maurice River; sample location coordinates and water depths are provided in Table 2-1. Sample coordinates were recorded in the field using a Trimble GeoXT differential global positioning system (DGPS); the GeoXT uses the WAAS (Wide Area Augmentation System) to obtain accuracies of +/- 5 ft. Coordinates were recorded for each sample location in the field logbook.

2.3 SAMPLE VOLUME REQUIREMENTS

Arsenic analysis of sediments and soils required 250 grams of sediment per sample.

2.4 SAMPLE COLLECTION, STORAGE, AND TRANSPORT

During sample collection, sediment and soil cores were kept on ice and maintained at 4⁰ Celsius in insulated coolers. Upon completion of sample collection and sample processing, samples were shipped via overnight delivery to the USEPA Region II, Division of Environmental Science and Assessment (DESA) Laboratory in Edison, NJ for arsenic analyses. Samples were shipped on ice and maintained at 4⁰ Celsius. Chain-of-Custody (COC) forms accompanied the samples and documented the dates and times of sample collections for arsenic analyses are included in Appendix A. Samples were received at the DESA laboratory on 17 April 2010 and were booked and logged through the Field and Analytical Services Teaming Advisory Committee (FASTAC) process.

2.4.1 Sediment and Soil Sample Collection

Sediment and soil samples were collected at 66 locations using hand-coring techniques. Sampling in the river was conducted from a jon boat; shoreline (soil) samples were taken on the edges of the river approximately 5 ft to 20 ft inland from the river bank. Samples were collected and retained within 2 ft lengths of cellulose acetate butyrate (CAB) liner with an outer diameter of 2 inches. Sediment collected in the river was obtained using a Wildco hand-corer. For each river and instream sample, a liner was placed in the hand-corer with a core catcher placed on the end of the liner. A nose cone was fitted to the outside of the hand-corer. The sample was taken by either pushing or manually driving (with a small sledge hammer) the hand-corer into the sediment until refusal. The sampler was brought back on-board the boat and the core liner was removed, capped, and labeled.

Shoreline (soil) samples were taken by manually driving a 2 ft length of CAB liner into the soil until refusal. The liner was then removed from the soil, capped, and labeled.

Sediment and soil cores were kept on ice and maintained at 4⁰ Celsius in insulated coolers during sampling. Upon completion of sampling, the cores were transported to EA's warehouse facility in Cockeysville, Maryland, for processing. Samples for analytical testing were produced by homogenizing sediment and soil for each depth interval (at each discrete location) in a decontaminated stainless-steel bowl and transferring material to a 4 ounce glass jar.

2.4.2 Field Duplicates

Field duplicates are used as measures of matrix homogeneity and sampling precision. Field duplicate samples were collected simultaneously from the same sampling locations as sediment and soil samples (Table 2-2) and were collected at a rate of 15% per sample matrix. For the Phase V sampling, a total of ten duplicate samples were collected as individual co-located samples and were homogenized and analyzed separately.

2.4.3 Matrix Spike / Matrix Spike Duplicate Samples

A matrix spike (MS) is a field sample to which a known amount of analyte is added before sample preparation and analysis to evaluate the potential effects of matrix interference. Analyte concentrations in the spiked and unspiked sample are used to calculate percent recovery as a measure of matrix interference. A matrix spike duplicate (MSD) is a duplicate of the MS sample. MS/MSD samples were collected at a target rate of 10% per sample matrix. Eight sets of MS/MSD for sediment and soil samples were collected for the project (Table 2-2) for an actual frequency of 12%.

2.5 EQUIPMENT DECONTAMINATION PROCEDURES

Equipment that came into direct contact with sediment and beach soil during sampling was decontaminated prior to deployment in the field to minimize cross-contamination. This included the stainless-steel Ponar, stainless steel spoons, and processing equipment (spoons, knives,

bowls, extruder, etc.). While performing the decontamination procedure, phthalate-free nitrile gloves were used to prevent phthalate contamination of the sampling equipment or the samples.

The decontamination procedure is described below:

- Rinse equipment using site water
- Rinse with distilled or de-ionized water
- Rinse with 1 percent nitric acid (HNO₃)
- Rinse with distilled or de-ionized water

Waste liquids were contained during decontamination procedures and transferred to EA's facility in Sparks, Maryland, for disposal.

2.6 SAMPLE CHAIN-OF-CUSTODY AND DOCUMENTATION

2.6.1 Field Logbook

Field notes were recorded in a permanently bound, dedicated field logbook. A log of sampling activities and station locations were recorded in the log in indelible ink. Personnel names, local weather conditions, and other applicable field sampling program information were also recorded.

Sample location coordinates, approximate water depth, and weather conditions at each sampling location were recorded. Information was recorded in indelible ink. Copies of the project logbook are provided in Appendix A.

2.6.2 Sample Identification

A sample numbering system was utilized for the sediment and soil samples for Phase V sampling. The sample numbering system provided communication between the sample processing operation and the laboratory performing the desired analyses. Sediment and soil samples were identified by site name, sample type, and date of collection. The following sample identification scheme was used:

PV-R1-A or B PV-S1-A or B

where PV indicated Phase V project, R denoted river sediment samples, S denoted shoreline (soil) samples, and the number after R or S indicated site location. The letter A was used for sample taken from the top 0 inches to 6 inches, and B for sample taken from the bottom 6 inches to 12 inches.

Field Duplicate water and sediment samples were submitted to the laboratory as blind duplicates. The site name and collection date were not designated as part of the sample identifier. Duplicate

samples were designated with an identifier (i.e., PV-DUP) and number (i.e., 1, 2, 3, etc.). For example, DUP-1 was designated as the first duplicate sample collected from a random station. DUP-2 was then designated as the next (or second) duplicate sample collected from a separate random station. Locations where duplicate samples were collected and the corresponding sample ID were recorded in the field logbook for future cross-referencing with sample laboratory results. The cross-referenced sampling locations for the field duplicates are included in Table 2-2.

MS/MSD sediment, soil, and water samples were designated with identifiers added after the site name and sample type. For example, PV-R10-MS indicated a matrix spike sediment sample from sample PV-R10. The following descriptors were used for matrix spike and matrix spike duplicate samples:

- MS matrix spike sample
- MSD matrix spike duplicate

2.6.3 Sample Documentation

2.6.3.1 Sample Labels

Both the individual sediment cores and the processed sediment were labeled. Sample containers for the processed sediment and water samples were labeled with the following information:

- Client name
- Project number
- Sample ID
- Station location
- Date and time of collection
- Sampler's initials
- Type of analyses required

2.6.3.2 Chain-of-Custody Records

Sediment and soil samples collected in the field and at EA's processing facility were documented on a COC form. This COC accompanied the samples to the analytical laboratory. The COC indicated the date and time of sample collection and was signed by appropriate personnel. Copies of the COCs that accompanied the analytical testing for arsenic are provided in Appendix A.

2.6.4 Documentation Procedures

Documentation was initialed by the author and dated. Corrections to documentation were made with a single line through the error with the author's initials and date.

2.7 ANALYTICAL METHODS

Analytical testing for arsenic was conducted by the USEPA Region II DESA Laboratory Branch located in Edison, NJ.

2.7.1 Analytical Methods, Laboratory Quality Control, and Detection Limits

Samples obtained during the Phase V sampling were analyzed for total arsenic using extraction procedure DESA SOP C-116 and analysis procedure DESA SOP C-109. The target detection limits (TDL)/screening values and laboratory reporting limits (RL) for arsenic in the sediment and soil were as follows:

Matrix	Target Detection Limit (TDL) / Screening Value for Arsenic	Laboratory Reporting Limit (RL) for Arsenic	Extraction/Analysis Procedure
Solid	20 ppm (Site Clean-up Level)*	0.73 to 0.8 mg/Kg (ppm)	DESA SOP C-116 and SOP C-109

^{*}The Site Clean-up Level of 20 ppm is based upon the New Jersey Residential Clean-up Standard for Arsenic.

2.7.2 Data Validation and Electronic Data Deliverables

Data validation was conducted by the USEPA Region II DESA laboratory for the arsenic analyses. A data quality and usability statement was not provided by DESA for the analytical results. Data are usable for the intended purpose except where noted by the USEPA data validation qualifiers.

TABLE 2-1. SEDIMENT AND SOIL LOCATION INFORMATION
Phase V Sediment Sampling, Vineland, New Jersey (April 2010)

	-		Northing (ft)	Easting (ft)	Water	Sediment and
Location ID	Date	Time	New Jersey	, NAD 83	Water Depth (ft)	Soil Recovery Depth (in)
- 5 A A A A A A A A A A A A A A A A A A	\$100 m					
PV-R1	4/12/2010	1145	245112	329354	4.0	8.0
PV-R2	4/12/2010	1255	245071	329325	5.6	3.0
PV-R3	4/12/2010	1309	245033	329230	2.9	8.0
PV-R4	4/12/2010	1324	244992	329176	5.0	2.0
PV-R5	4/12/2010	1344	244971	329092	4.8	8.0
PV-R6	4/12/2010	1419	244950	329038	5.2	7.8
PV-R7	4/12/2010	1431	244896	329023	4.8	2.5
PV-R8	4/12/2010	1452	244845	329006	4.8	3.0
PV-R9	4/12/2010	1505	244804	329124	5.0	4.0
PV-R10	4/12/2010	1603	244742	329113	4.7	17.0
PV-R11	4/12/2010	1625	244670	328977	4.8	17.0
PV-R12	4/12/2010	1641	244671	328922	5.7	3.0
PV-R13	4/12/2010	1653	244665	328883	5.3	5.0
PV-R14	4/12/2010	1708	244584	328878	3.2	7.5
PV-R15	4/12/2010	1724	244442	328943	4.2	8.6
PV-R16	4/12/2010	1738	244380	328980	6.3	12.0
PV-R17	4/13/2010	1109	244952	329193	4.4	5.5
PV-R18	4/13/2010	1119	244941	329178	3.4	9.5
PV-R19	4/13/2010	1130	244921	329177	2.0	12.5
PV-R20	4/13/2010	1145	244894	329162	1.7	4.0
PV-R21	4/13/2010	1157	244890	329144	3.6	6.0
PV-R22	4/13/2010	1216	244876	329136	5.0	15.0
PV-R23	4/14/2010	0901	244741	328976	2.1	3.2
agentical contract						
PV-S1	4/13/2010	0745	245130	329391	1.3	7.0
PV-S2	4/13/2010	0757	245139	329333	1.7	8.0
PV-S3	4/13/2010	0813	245123	329253	1.6	6.0
PV-S4	4/13/2010	0825	245119	329284	1.3	10.0
PV-S5	4/13/2010	0843	245128	329157	0.9	13.8
PV-S6	4/13/2010	0909	244995	329250	1.8	6.0
PV-S7	4/13/2010	0940	244951	329143	0.8	10.0
PV-S8	4/13/2010	0957	245055	329106	1.6	5.0
PV-S9	4/13/2010	1007	245016	329089	1.7	10.0
PV-S10	4/13/2010	1015	245029	329157	1.5	6.0
PV-S11	4/13/2010	1033	245072	329184	2.0	13.5
PV-S12	4/13/2010	1054	244910	329235	1.5	6.5
PV-S13	4/13/2010	1244	244840	329152	0.9	7.0
PV-S14	4/13/2010	1254	244944	328977	1.8	11.8
PV-S15	4/13/2010	1310	244933	329033	2.3	10.5
PV-S16	4/13/2010	1326	244904	329112	1.6	3.5
PV-S17	4/13/2010	1346	244875	328992	1.1	8.5
PV-S18	4/13/2010	1412	244826	329015	1.1	8.0
PV-S19	4/13/2010	1428	2447251	329160	1.4	4.5

TABLE 2-1 (continued)

TABLE 2-1 (continued)						
Location ID	Date	Time	Northing (ft)	Easting (ft)	Water	Recovery
Location ID			New Jersey		Depth (ft)	Depth (in)
PV-S20	4/14/2010	0829	244785	328994	0.6	13.5
PV-S21	4/14/2010	0843	244766	329027	1.1	9.3
PV-S22	4/14/2010	0901	244741	328977	2.1	13.2
PV-S23	4/14/2010	0930	244841	329063	2.0	9.8
PV-S24	4/14/2010	0939	244806	329092	2.0	10.0
PV-S25	4/14/2010	0957	244731	329169	1.1	7.0
PV-S26	4/14/2010	1011	244749	329071	1.2	13.0
PV-S27	4/14/2010	1033	244655	329099	1.0	9.0
PV-S28	4/14/2010	1050	244637	328945	0.5	11.0
PV-S29	4/14/2010	1113	244702	328953	1.6	10.3
PV-S30	4/14/2010	1127	244738	328912	1.3	5.3
PV-S31	4/14/2010	1148	244953	329143	0.7	4.0
PV-S32	4/14/2010	1208	244707	323910	1.6	3.0
PV-S33	4/14/2010	1241	244669	328828	1.1	8.0
PV-S34	4/14/2010	1251	244606	328922	1.1	9.5
PV-S35	4/14/2010	1300	244632	328911	0.8	7.0
PV-S36	4/14/2010	1314	244526	328831	0.1	6.0
PV-S37	4/14/2010	1324	244488	328843	0.0	8.5
PV-S38	4/14/2010	1336	244452	328910	0.8	7.5
PV-S39	4/14/2010	1350	244579	328966	1.2	7.0
PV-S40	4/14/2010	1358	244527	328956	1.1	10.0
PV-S41	4/14/2010	1413	244489	328983	1.5	7.0
PV-S42	4/14/2010	1432	244352	328917	0.6	3.5
PV-S43	4/14/2010	1438	244372	328895	1.5	8.0

TABLE 2-2. PHASE V SAMPLING - DUPLICATE AND MATRIX SPIKE/MATRIX SPIKE DUPLICATE SAMPLES

Die Beste Messel en	Comple ID
Duplicate Number	Sample ID
PV-DUP1	PV-S29-A
PV-DUP2	PV-S40-B
PV-DUP3	PV-S37-A
PV-DUP4	PV-S20-A
PV-DUP5	PV-S4-B
PV-DUP6	PV-S27-A
PV-DUP7	PV-S36-A
PV-DUP8	PV-R22-A
PV-DUP9	PV-S5-B
PV-DUP10	PV-R11-B

MS/MSD Sample IDs
PV-S40-A-MS/MSD
PV-S28-A-MS/MSD
PV-S20-B-MS/MSD
PV-S27-B-MS/MSD
PV-S36-A-MS/MSD
PV-R22-B-MS/MSD
PV-R10-B-MS/MSD
PV-R11-A-MS/MSD

3. RESULTS

Results of sediment and soil sampling for Phase V are presented in Tables 3-1 and 3-2 and Figures 3-1 and 3-2. The following sections discuss the arsenic results for sediment and soil samples.

3.1 SEDIMENT (River)

Twenty-three (23) locations were sampled in the Maurice River. Upon completion of sampling and core processing, 31 sediment samples were submitted for arsenic analysis (Tables 3-1 and 3-2). Twenty-three sediment samples represented 0 inches to 6 inches below sediment surface depth intervals (Table 3-1 and Figure 3-1) and 8 sediment samples represented 6 inches to 12 inches below sediment surface depth interval (Table 3-2 and Figure 3-2).

Table 3-1 lists the sediment sample arsenic concentrations for 0 inches to 6 inches below sediment surface depth interval; Figure 3-1 depicts the results for the same depth interval. Seventeen (17) sediment samples from 0 inches to 6 inches had detected concentrations of arsenic (77.3%). Detected arsenic concentrations ranged from 0.91 mg/Kg to 500 mg/Kg. Two sediment samples (9.1%) exceeded the Site Clean-up Level. The two samples that exceeded 20 ppm were at location PV-R19 and PV-R20 (Table 3-1 and Figure 3-1). Sample PV-R19-A had an arsenic concentration of 64 mg/Kg which exceeded the Site Clean-up Level by a factor of 3.2. Sample PV-R20-A had an arsenic concentration of 500 mg/Kg which exceeded the Site Clean-up Level by a factor of 25.

Table 3-2 lists the sediment sample arsenic concentrations for 6 inches to 12 inches below sediment surface depth interval; Figure 3-2 depicts the results for the same depth interval. Sediments in the Maurice River were comprised mostly of medium-to-coarse sands thus resulting in sediment core recoveries that were less than 12 inches. Five of 8 (62.5%) sediment samples from the 6 inches to 12 inches depth interval had detected concentrations of arsenic. Concentrations of detected arsenic ranged from 1.5 mg/Kg to 28 mg/Kg. One sample, PV-R3-B, of 8 (12.5%) exceeded the Site Clean-up Level of 20 ppm with an arsenic concentration of 28; this exceeded the Site Clean-up Level by a factor of 1.4.

3.2 SOIL (Shoreline)

Forty-three (43) locations were sampled along the shoreline of the Maurice River. Sixty-four soil samples taken along the shorelines of the Maurice River were submitted for analysis. Of the 64 samples submitted, 43 soil samples represented 0 inches to 6 inches below soil surface (Table 3-1 and Figure 3-1) and 21 soil samples represented 6 inches to 12 inches below soil surface (Table 3-2 and Figure 3-2).

For the 0 inches to 6 inches depth interval (Table 3-1 and Figure 3-1), 39 of the soil samples had detected concentrations of arsenic (90.7%) and 23 soil samples (53.5%) exceeded the Site Clean-up Level. Detected arsenic concentrations in the soil samples ranged from 1.9 mg/Kg to 820 mg/Kg. Arsenic concentrations in samples exceeding the Site Clean-up Level ranged from 21 mg/Kg to 820 mg/Kg.

Twenty-one (21) soil samples taken from 6 inches to 12 inches below the soil surface were submitted for arsenic analysis (Table 3-2 and Figure 3-2). Arsenic was detected in 13 samples (61.9%) with concentrations ranging from 2.6 mg/Kg to 400 mg/Kg. Four soil samples exceeded the Site Clean-up Level (19%) with concentrations ranging from 61 mg/Kg to 400 mg/Kg.

3.3 QA/QC RESULTS

The results for the QA/QC samples, including field duplicates and matrix spike and matrix spike duplicates, are provided in Table 3-3 and are discussed in the following subsections.

3.3.1 Field Duplicates

Field duplicate samples were collected simultaneously from the same sampling locations as sediment and soil samples.

Relative percent differences (RPD) were calculated for field duplicate samples that had detected concentrations of arsenic. Following the protocol defined in Worksheet 12 of the *UFP/QAPP* (USACE 2009), the RPD was calculated for PV-DUP1, -DUP2, -DUP3, -DUP4, -DUP6, and DUP10. RPDs were not calculated for duplicates and co-located samples with non-detect results. According to the *UFP/QAPP* (USACE 2009), the measurement performance criterion for sediment samples and soil samples is 25% RPD (QAPP Worksheets 12-1 and 12-2).

Table 3-3 lists the RPD results for duplicate samples with detected concentrations of arsenic. The RPDs for PV-DUP2 and PV-DUP3 were in compliance (less than 25%). The RPDs for PV-DUP1, -DUP4, -DUP6, and -DUP10 were greater than 25%. The difference in arsenic concentrations between these duplicates and their respective samples may be due to the heterogeneity of the sediments and soils in the Maurice River.

3.3.2 MS/MSD Samples

Results of the MS/MSD samples are presented in Table 3-3. The Laboratory's established QC criteria were met for MS and MSD samples, including sediment and soil samples. These data were validated by the USEPA Region II DESA Laboratory.

3.3.3 Completeness

Completeness is a measure of the amount of usable data obtained during the project compared to the amount that was expected to be obtained (Worksheet #12 in the *UFP/QAPP*). For the Phase V sediment sampling, technical completeness was 100%. All results of arsenic analysis were usable for this sampling effort.




TABLE 3-1. PHASE V ARSENIC RESULTS - 0 INCHES TO 6 INCHES DEPTH

Sediment (river) samples

Sample ID	Units	Result
PV-R1-A	mg/KG	0.85 U
PV-R2-A	mg/KG	0.94 U
PV-R3-A	mg/KG	8.8
PV-R4-A	mg/KG	0.68 U
PV-R5-A	mg/KG	0.92
PV-R6-A	mg/KG	1
PV-R7-A	mg/KG	0.91
PV-R8-A	mg/KG	2.6
PV-R9-A	mg/KG	1.5
PV-R10-A	mg/KG	2.4
PV-R11-A	mg/KG	1.3
PV-R12-A	mg/KG	1
PV-R13-A	mg/KG	0.96
PV-R14-A	mg/KG	1.3
PV-R15-A	mg/KG	6.5
PV-R16-A	mg/KG	2.1
PV-R17-A	mg/KG	19
PV-R18-A	mg/KG	2.9 U
PV-R19-A	mg/KG	(1) · 数。
PV-R20-A	mg/KG	Man Diller
PV-R21-A	mg/KG	3.1
PV-R22-A	mg/KG	1.5 U
PV-R23-A	mg/KG	0.75 U

Soil (shoreline) samples

Son (shorenne) samples				
Sample ID	Units	Result		
PV-S1-A	mg/KG			
PV-S2-A	mg/KG	1.1 U		
PV-S3-A	mg/KG	6.2		
PV-S4-A	mg/KG	2.4		
PV-S5-A	mg/KG	3.3		
PV-S6-A	mg/KG			
PV-S7-A	mg/KG	a la		
PV-S8-A	mg/KG	5		
PV-S9-A	mg/KG	2.1 U		
PV-S10-A	mg/KG	12		
PV-S11-A	mg/KG	6.3		
PV-S12-A	mg/KG	RAIL CONTRACT		
PV-S13-A	mg/KG	582.77 SE		
PV-S14-A	mg/KG	1.9		
PV-S15-A	mg/KG			
PV-S16-A	mg/KG	***		
PV-S17-A	mg/KG	13		
PV-S18-A	mg/KG			
PV-S19-A	mg/KG			
PV-S20-A	mg/KG	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
PV-S21-A	mg/KG	18		
PV-S22-A	mg/KG			
PV-S23-A	mg/KG			
PV-S24-A	mg/KG			
PV-S25-A	mg/KG			
PV-S26-A	mg/KG			
PV-S27-A	mg/KG			
PV-S28-A	mg/KG			
PV-S29-A	mg/KG			
PV-S30-A	mg/KG	20		
PV-S31-A	mg/KG	建黄油 北北海岸		
PV-S32-A	mg/KG	16		
PV-S33-A	mg/KG			
PV-S34-A	mg/KG			
PV-S35-A	mg/KG	2.6		
PV-S36-A	mg/KG	0.77 U		
PV-S37-A	mg/KG	3.6		
PV-S38-A	mg/KG	9.4		
PV-S39-A	mg/KG	7.9.5. 1.3. 3.3.		
PV-S40-A	mg/KG			
PV-S41-A	mg/KG	5.4		
PV-S42-A	mg/KG	8.3		
PV-S43-A	mg/KG	0.87 U		

NOTE: Bold values represent detected arsenic concentrations; shaded values exceed the Site Clean-up Level of 20 mg/Kg (ppm)

U=arsenic was analyzed, but not detected. Average reporting limits are listed next to non-detected sample results.

TABLE 3-2. PHASE V ARSENIC RESULTS - 6 INCHES TO 12 INCHES DEPTH

Sediment (river) samples

Sample ID	Units	Result
PV-R3-B	mg/KG	
PV-R10-B	mg/KG	2.3
PV-R11-B	mg/KG	2.7
PV-R16-B	mg/KG	1.5
PV-R18-B	mg/KG	1.5 U
PV-R19-B	mg/KG	2.3
PV-R22-B	mg/KG	0.77 U
PV-R23-B	mg/KG	0.81 U

Soil (shoreline) samples

Son (shoreme) samples						
Sample ID		Result				
PV-S2-B	mg/KG	0.93 U				
PV-S4-B	mg/KG	1.1 U				
PV-S5-B	mg/KG	0.92 U				
PV-S7-B	mg/KG	2.6				
PV-S9-B	mg/KG	0.82 U				
PV-S11-B	mg/KG	0.99 U				
PV-S13-B	mg/KG					
PV-S14-B	mg/KG	0.71 U				
PV-S15-B	mg/KG					
PV-S17-B	mg/KG	3.2				
PV-S20-B	mg/KG	4.6				
PV-S21-B	mg/KG	2.3				
PV-S22-B	mg/KG					
PV-S23-B	mg/KG	10				
PV-S25-B	mg/KG	5.5				
PV-S26-B	mg/KG					
PV-S27-B	mg/KG	7				
PV-S28-B	mg/KG	0.77 U				
PV-S33-B	mg/KG	0.9 U				
PV-S39-B	mg/KG	6.4				
PV-S40-B	mg/KG	4.2				
-		No sample				
PV-S41		recovery				

NOTE: Bold values represent detected arsenic concentrations; shaded values exceed the Site Clean-up Level of 20 mg/Kg (ppm)

U=arsenic was analyzed, but not detected. Laboratory reporting limits are listed next to non-detect qualifier.

TABLE 3-3. ARSENIC CONCENTRATIONS (mg/Kg) IN PHASE V SAMPLING - DUPLICATE SAMPLES

Duplicate Number	Units	Average RL	Duplicate Result	Sample ID	Average RL	Sample Result	RPD (%)
PV-DUP1	mg/Kg		14	PV-S29-A			40.0
PV-DUP2	mg/Kg		4.9	PV-S40-B		4.2	15.4
PV-DUP3	mg/Kg		4.2	PV-S37-A		3.6	15.4
PV-DUP4	mg/Kg			PV-S20-A		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32.0
PV-DUP5	mg/Kg	0.97	Ū	PV-S4-B	1.1	U	NC
PV-DUP6	mg/Kg		7-14-14	PV-S27-A			97.3
PV-DUP7	mg/Kg		1.1	PV-S36-A	0.77	U	NC
PV-DUP8	mg/Kg	1.5	Ü	PV-R22-A	1.5	U	NC
PV-DUP9	mg/Kg	0.95	U	PV-S5-B	0.92	U	NC
PV-DUP10	mg/Kg	·	1.8	PV-R11-B		2.7	40.0

RL=laboratory reporting limit (average)

NOTE: Bold values represent detected arsenic concentrations; shaded values exceed the Site Clean-up Level of 20 mg/Kg (ppm)

U=arsenic was analyzed, but not detected

RPD=relative percent difference (see Section 3.3.1 for description of calculation)

NC=not calcuated due to non-detected results

4. REFERENCES

- U.S. Army Corps of Engineers (USACE). 2001. Requirements for Preparation of Sampling and Analysis Plans. USACE Engineer Manual. EM 200-1-3. 01 February 2001.
- U.S. Army Corps of Engineers (USACE). 2009. Draft, Uniform Federal Policy (UFP)/Quality Assurance Project Plan (QAPP) for Vineland Chemical Superfund Site, Operational Unit #3 Blackwater Branch Area West of Mill Road, Arsenic Delineation Mapping, Monitoring, and Fish Tissue Study. Prepared for USEPA Region II, New York City, New York, April.
- U.S. Environmental Protection Agency (USEPA). 2001. Methods for Collection, Storage and Manipulation of Sediments for Chemical and Toxicological Analyses: Technical Manual. EPA-823-B-01-002.
- U.S. Environmental Protection Agency (USEPA). 1989. EPA Superfund Record of Decision: Vineland Chemical Company, Inc. EPA ID: NJD002385664, OU 01. Vineland NJ. 28 September.

APPENDIX A

ANALYTICAL RESULTS, CHAIN-OF-CUSTODY (COC) FORMS FOR ARSENIC ANALYSES, AND FIELD DOCUMENTATION (LOGBOOK)

12 AARIL 2010 VINELAND - Phase V Sediment Sampling 1100 - Tilard and Adam Kumm arrive a Alliana Beach, unload equipment 1130- 140 - Alag north and south cal of whiley area, islands 1, 29, 26, and 3 1145 - rample @ PV-RI N 245111 5 AF NJ NAD83 E 329354,0H Depth: 4,0 Fd. Recovery = 0,75 Gt tan And 1255 = PV- RZ 329325,4 / N 245071,04 F 32932 Lec = 3 inches hard packed D: 5,6A 1209- AV-R3 N 245033.0 E 329230.3 Brown peat, D= 2.9 H Rec = ~ 8 in 1324-PV- R4 N 244 891 B E 329 176 4 Coarve Vand, D= 5.0 A Rec = 2 inches

Vand grave

12 April 2010 1625 - PV-RII E 328977 N 244670.2 Vand, gravel D= 4.8 F4 Rec. Fit in. 1641 - PV-R12 £ 328921.9 N 244671.3 Rec = 3 in Hard packed rand D = 5. 7 FF 1653 - PV- R13 N 244664,7 F 328882,8 & Lac = Jin Vand, gravel D = 5.3 A 1708 - PV-R14 F 328 878,3 N 244584.3 Vand Rec = 7,5 in D=3,2 14 1724 - AV- RIS N 247 44. 574 E 22 A 946. 42 Rec = 8, 6 inches D= 4.2 H E 328942.9 N 244 442.3 1738 - PV-RIL N 244380,2 E 328900, 2 Rec = D=6.3A

i	72	•	A	Pi	21	<i>t</i> .	•	رد		ı																							-
i		- 1	/	ı				a	- 1	2	2	Н	2		1		<u>ک</u>	4	-4	24		1,6	4	إر	_	ک	A,	47	3	Ü	4	6	
0		- 1		ſ		۲.	_	_			-4	,		4	4	24	4	<u> </u>	4	7	4	2	_	4	76	4	4	4	_	Œ	₽_	ļ.	-
1	1	_		_	_	4	د		4	4	<u>, d</u>	4			8	4	A	4	4		4	4	Δ	<u>,</u> c	نه	4	C			_	L	\vdash	Ł
+	1	4	-	_	4	4		2	. ,	2	2	4	-	٢		-	-	4	-	-	-	-	_	-	-	_	_		-	_	+	╀	+
+	1	-			-	_		_		$\frac{1}{2}$	\dashv	+	_			\dashv	-	1	-	-	-	\exists	_	\dashv	1	-		H	H	_	┞	\vdash	+
7	7	4	IS				.		<u>S</u> .			1			Н		_	1		_				-	1	-				<u> </u>	t	t	十
+	+	-		4			7		L	3		٥.		_ م	H	e	. I				1	9 3			4	- : /	_	-	Г	H	 -	T	T
\dagger	+		-	-	2	•	• 3	-	F	ĺ	Н		_	. 5	E	=	7	-1	<u>``</u>	•	Н		=	7	*		_	F		T	T	T	T
ď	,	5	7	_		Þ	1	,	2		Н	-								L												I	L
				٨				1	/3			٠.			5		3	Z	9	3	3	2		•	L		L	L	L	L	ļ	ļ	\downarrow
				Z	٤		,,	7	L	6,2	L		Æ	e	٤:	_	8	,,		_	2	-	سر	_	7	C#	_	4	L	ķ.	Į,	4	+
	! -			_			L	Ŀ		_				L	Ļ,	۳,	_	ļ.	Ł	0	,	Σ	_	L		-	_	Ļ	Ļ	╀	╀	+	\downarrow
	4			L	_	-	ļ.		-		L	_	_	-	Ŀ	L	L	-	L	-	<u> </u>	\vdash		-	-	L	+	\vdash	+-	╀	+	+	+
d	9	73	Г	ı			1	1	3		L	<u> </u>	-	\vdash	_	-		L	L	-	-	-	-	-	-		\vdash	╀	+	+	+	+	+
	_	H	4	<u> </u>		1	Π	Γ	2	Γ	5	-	-	Т	٤	Т	1			2	5	? ,	i .	1	\vdash	H	H	t	r t.	+	\dagger	\dagger	+
		-	-	P	12	1	6	-	F1	-	╁		1	1	Ċ		١.	G	Γ	عوا	١.	<u> </u>	Γ	7	Ţ			15	1	7	†	†	+
	ç	2	3	\vdash	2	V	-	k	¥	T	t	-	H	t	\dagger	1					1	†	-		Ť		Ť	T	T	T	T	T	1
H	_	F		N	Ť	Π	T	Т	, ,	Г	1	7		T		<u> </u>	2	9	2	۶	1.		1						I	 	I	I	\prod
	-	-		Ť	b	-	1	i	3		1	-			1	e.	1	1	,			1		\$2	Ž		4	4	4	ļ.	4	4	_
												Ĺ	L				n	<u>-</u>	25	1	1		1	P	E	-	4	1	ļ	1	1	\downarrow	\downarrow
Ц		L		L	Ŀ	L	ŀ	-	-		-	L	L	-	-	-	-	-		\downarrow	-	_	-	-	-	-		-	+	+	\downarrow	4	+
Ц	_	L	L	L	-	L	+	-	ig	_	-	L	-	1	1	+	-	+	-	+	+	\downarrow	-	+	+	\mid	+	+	+	+	+	+	+
Ц		L														L	H	L	1	1.	i.		L		<u> </u>	_			_	1			丄

13 APRIL 201 PV- 55 cp43 N 245129.2 E 329156.9

N 3.8 Et 6 ml and rot mass 6909 PV-56 Rec: 6 in silt and pear D= 1.8 F7 N 244994.7 E 329249.5 0940 PV-57 N 244950, 7 E 329142,5 D=0. & FT Rec= 10 m silty sand w) 70045 PV-58 0957 N 245055.1 F 329105.5 D= 1.6 Ft Rec: 5in silt on pear 1007 PV-57 N 245016.0 € 324087.4 D: 1.7 FL RELIBIO Rous and sith ul whole seal at both 1015 PV-SIC N 245028,9 F 329157.0 D= 1.5 F+ Rees 6 in boundayer silt

	، حرد. ۵				•	
1 1 1 1	1519	1 1 1		ППП		П
1433	PI	1-18	"¶ 	++++		+
	~	244	507241	E 32914	8 7	44
Ш	0=	2.4	<i>a</i>	220= 13.8	511-11	7
				اما اما مليا	ar Brezhon	1.
,						11
	914				 	++
1054	П	-54	***		╫╫╫╫	++
	14	24	4910-2	E 3292	35.p	44
	D	1,5	6	# 3292 Per 6.5	& soun	SI/F
				The sand of		
409		 	 	71111		11
1. 1			_ ┼┼┼┼┼	++++	╂╂╂╂╂╅╅	++
1109		RIT		 	╀┼┼┼┼┼┼	+
	1/1/2	44	1951-86	E 329/92	<u> </u>	4
	b	4.4	9 64 1 1	ec = 55.	Sora en s	20
	ارو	R18		11111	1111111	\top
11/9	1 1	111		1 	╂╂╂	+
				<u> </u>	7 8 1 	+
	12 =	3.4	Fr	?ec= 9.51	n page n	44
				Sand		$\perp \perp$
		-				
1130	PV-	219				
1011	[[. [$\Pi\Pi$			++++++	$\dagger \dagger$
+++	ME			E 32 9/m	111111	+
	0 =	2.0	1-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	284 = 12.5	5 10 5 00 4	4
		Ш		100 000	51/4	\coprod
			11111			$\top \top$
	<u> </u>	بليليا			<u> </u>	

	- Contraction of the Contraction				•	
_	13 APR	11 2016				
_	1146	PV-POC				
_			1893.8	E:	329162.	'
_		0=1.7		R	9C= 4 in	pertul.
_					east wass	
_	1167	PV-RZ				
-		N 244	890.3	-	329143	
		0: 3.6	fr	Re	= 6 in	ten sind
	· · · · · · · · · · · · · · · · · · ·					
	1216	PV- RZ2				
		1	1875.8		32913	1
	····	0:5.0	Fr		c = 15 in	pear
				and	silt	
		74-513				
٠	1244	N Z 44 8		Ę	329151.	8
٠		D = 0,9	li .		I	silt wl
					1 .	pat was
•						,
	1284	PV-51	4			
		N 244	944.4	E	328977,L	
	,	D= 1.8		Rec	= 11.8 h	silt cul
				Per	t and se	no sand
	· · · · · · · · · · · · · · · · · · ·					
1	í.					
Š		1				Γ

- /	7	4	7	T	7	-	ำ	ī		┪	Т	т	Т	Τ.	Т	╁	Т	T	Т	Τ	Т	T	Т	Т	Т	Т	╗	٦	Т	\exists	Т	П	_
3	1	٥	_	1	4	-	2	!\$		_		4	1	1	L	<u> </u>	Ļ	L	L	1	1	1	1	1	\downarrow	4	\dashv	-	4		4	4	-
			4	1	2	4	۲۷		3	z	٤		\downarrow	1	L	L	ı	Ł	Ļ	\$2	4	4	ď	4	Zļ,		5	_	_	4	4		_
			4	,	2		2			G					L	R	-	k		L	4	<u> </u>	5	42	4		S	1	۲	4	2		_
1					İ				٠,٠	Ċ	÷				ļ.,		ļ.,	<u>۔</u>	f	8	4	4			1		_			_			_
3	z	6	A	r	_	5	6															1.											
1	1	1	_]	I					4		_						4	1		3		2	1	, ,	1		3						
1				П	=		6		f						\ \ i	*	ę	Т	Ļ	ı	3 1.	ì					2	٠	-	_	•		•
1			1												Ī		T	\$	Т-	7	-	Ţ	Ţ										
,		ŝ	P	V	_	5	17	Г					7			T	1	Ī	1	T		ŀ	T	T									
3	¥	2	٠						2	_ ,			٦		1	T	T	Ł	1	J	,	4	9	d		۶		_					
1		Н	D		7						74	>	\sqcap	\dagger	1	†	т	Т		8			Ţ	1				•			,,	1	
+	_		<u>u</u>		-	۱-	**	1		-		Н	$ \cdot $	\dagger	Ť	Ì		1	1				`	Ţ		•	7			j,			
		,	-	-		5	i	Ŀ	t	-		\vdash		+	\dagger	t	t	†	†	1	7	7	1	1	٦	_	Ħ	-			П		ĺ
-	14	2		Ι.	-		1	ł		1				十	+	t	t	Ł	-	· ·	2 :	>	?		,		at 1	r				Г	
-		ŀ		7	-				F			2	Н	+	\dagger	,	1	Ť	7		7	- 1	- 1				7			į	F	رو	ļ
-		-	H	P :	F	-	-	-			\vdash	╁	Н	+	\dagger	Ī	Ť	7	+	-	1	in.	1	+	٦	7			1	-	1	۲	i
_	_			۵	1	L	\$i	ŧ,	+	H	H	<u> </u>	Н	\dagger	\dagger	\dagger	\dagger	†	†	╁	1	1	7	1				T		T	T	T	
′	7	2	-	1	f		-	_	17	-	H	b		+	\dagger	1			+	2	,	a	15	a		2	T	t	\vdash	T	F	Ť	l
_	-	 	\vdash	┢		4	_	_	Ç	_	٦	\vdash	Н	+	+	1	d	7	Т	т	4		5			Ĭ,	\$/1	h		ر	١,	e	ļ
_	 	┝	-	0	1	\vdash	١	1	1	1	╁	╁	H	+	+	+	7	7	7	7	1			7		H	f	+	۲	Ĭ	1-{	Ť	I
_	Ľ	┞	\vdash	├	+	\vdash	-	╁	+	╀	╁	╁	Н	+	+	+	+	+	+	+	7		+			r	t	t	-	H	t	r	١
	L	ŀ	\vdash	┞	l	ŀ	+	+	╁	╁	╀	╀	H	+	+	+	\dagger	+	+	+	+		Н	÷	_	H	H	\dagger	\dagger	H	1.	┢	I
	Ė	1	F	\vdash	\vdash	╀	+	+	+	-	\vdash	╁	-	\vdash	+	+	+	+	+	+	\dashv	\dashv	Н	-		\vdash	-	-	+	+	ŀ	t	1
H	L	+	╀	1	-	ŀ	\downarrow	ŀ	╀	+	╀	-	-	${\mathbb H}$	+	+	+	+	+	\dashv	4	H	Н	-	-	-	+	╁	+	H	+	+	-
L	L	<u> </u>	\downarrow	\vdash	ŀ	1	+	+	+	+	Ļ	1	\vdash	\vdash	+	+	\dashv	+	-	+	\dashv	Н	Н	H	H	\vdash	+	+	+	+	+	+	
L	L			L		L			1	1.			L	Ц	\perp	1	Ì			_	_]	Ш	L		L	L	<u>L</u>	1	L.	1_	上	Ļ]

			•			٠.	
	2010		0110	. e			A SAMPUL
	i l			i			l ı
0710							EOUPMO
	7.00	_	-Ø-6			U IV.	200
0829	PV-520						
	N 244	784.	8		E:	28 994.	
	0= 0.6	F+					brown silt
				ļ	and p	eat of i	ood chunks
	>	 -					· · · · · · · · · · · · · · · · · · ·
843	PV-521				a	5	
	N 24476	1				32902	
•	D= 1.1 4					pent	asun sill
						· · · · · · · · · · · · · · · · · · ·	1
0901	PV-R23						
	N 2447	21.2			£	3289	6.4
	9=2.1						5:1+ w
						sear on	sono
	a., 603					,	
0930	PV- 522	11 4				329063.	02
	D = 2, 0				Re	(19.4.	bown silt
	- 2,0			 		1 sond	
	•	-			<u></u>	1 301.0	<u> </u>
	<u></u>		-				
							

	f	þ	١	A	46	t)	L	2	0	ō																								
	ŀ	9	30			-	Ý			2	В																							
						•	2		2.	7	3	B	0 (6	1						,		3	2	9	0	a	L.	4					
	ŀ						4	15	2	.1		c	1							Q	e	ር		0	_0				7	L	⊳ ∉	ø.	4	
																				,	إز		ġ.	2		Şe	بے)	م	ა		π		Ц
0	k	ì	5	7		-	ž	-	9	2	4		L	L	L												-		•				L	
							J	2	٠	4	7	3	1	7						E		3	2	2	ì	e	·	4						Ц
						2	_		1.	١	F	4		L		<u>.</u>			6	e	C		7	v		5	77	1	3	1	١	1	r	ي
L											L.	L								S	ov	د		98	J	ø	h	ě	3	n	rı.	2		
					L						L	Ţ	Ł	L	L											`								Ц
	6		_			P	V.	8	2	5		L	L	L				Ц					Ш						Ц					
L						(J	1		4	7	4	4	3	L	L				2	.3	2	9	5	O	6		L	Ш					
L	ļ.	_				2	2			۷		Ç.	L		L			Ц	e	2	, 5	į	3			Ь	7	3	Ц	ડાં	1	ند	<u>_</u>	Ц
	L		_	Ŀ		177	Ŀ	L			<u>. </u>	_			Ŀ	L		Ш			+	1	Ĺ	<u>د</u>	7	,	<u> </u>	•4	~	2	£	2	u	Ц
L	L	·		L				L		L	L	L	L	L	L	L		Ц		Ц		·	Ц	٠.	.:			Ŀ		Ĺ	_		Ŀ	
	þ	3	3	L	L	P	~	-	_	_		L	L					Ц			L				Ŀ		L		Ĺ	Ŀ			Ľ	
L	L					Ŋ	L		1	_	_	5.	þ	L	L	L	L	Ц	Ę	Ц	37	9	0	3.6	٧.	7	L		L	L	L	_	Ľ	Ц
L	l			L		b	2	·	4	F	1		L	L	ŀ			Ц	R	E		C	L	11		S	æ	بيا		2	11	ä	9	Ц
	L			L		L		L			L	L	L	L		L					4	٥	e	١	Ł	L	_	L		L	Ц	Ц	Ш	Ц
L	þ	5	0	Ľ	L	P	1	- 5	2	7	L	L	L	L	L		L	L		L		L	L	L	_	L	Ļ	L	L	Ц	L			Ц
·L	ļ		L.			N	Ŀ	٤٠	14	6	3	١.	9	L		L			٤	L	3	2	۶٩	4	6	•	þ	L	Ц	Ц	×	Ц		
L	L		Ļ	L	7.4	D	2	0	.5	L	P	Ł	L		L	L		Ц	(E	2	ų.	11	,	8	L	. .	مد	_	4	4			
Ŀ		_	Ľ	L	Ľ	L	L		L	L	L		L	L				Ц		C	2	4	L	Ĺ	Ц	L		L				Ц		
Ŀ	ļ			L	L	Ľ	L		L	L	L	L		L	L			Ц		L		Ŀ	L	L	Ц		Ŀ			Ц		Ц		Ц
Ŀ					L	L	Ŀ	Ļ	L			L	L	L	L		L	Ц		L		L		L	Ц			L	Ц	Ц		Ц	Ц	Ц
						L	<u> </u>			Ĺ					L	L		Ц	١.	L		L					L.	L						

Ŷ.					
14 APRI	2010		1		
	PV-52				
	N 24	4702,4	€	328953.	0
	Dali	6 F4	1	4	and pear
		· .	1	some ton	
					· .
1127	PV829		· · · · · · · · · · · · · · · · · · ·	<u> </u>	
		4737.7		28912,2	
	DE 1.3	++	rec:	5,3 in si	al pear
	<u> </u>				
1148	PV - 530				
	N 244			29142,9	
	0297	44	REC	4 in si	t an) sand
1208	PV-Sg1				
	N 24470	6.9	F 32	8 909.9	
	Dail 6	+		3 in sul	and real
1241	PV-532				
	N 24466	1.4		8827.8	
	D2111 f	-	PECZ 8	on sile	and peut
1251	PV-533				
	1 2446	05.9	£ 32	8971.8	
1.	0=11 f			1.5 in rea	4 ordalt
				on both	;
			(, 5		ļi.

	ر	4	(18	<u>۲.۱</u>	Ļ	_1	20	10									_	_														
. Ja		40	1.	·. I	Ł				L		L	L						L			L					I				Ι		Γ	Γ
			ŀ	6	1	2	V	4	d :	<u>,</u>	17						E		4	12	8	4	1	13		Γ	Γ		T	Γ		Γ	
					Þ	1	1	83	1.	1						2	2	بر		1			ı	2	,	0	J		41	4	7	Γ	П
L			ا ــــــــــــــــــــــــــــــــــــ		1		ŀ															Į	П				Γ			Γ	Γ	Γ	T
. [2	310	1	Ŧ	V	ł;	99	35																			Γ		Γ	Γ	Γ	T	П
Ĺ					ď	П	Т	Т	Т	2	5	6			•		E		3	Z	,	93	50		,					Г	Γ	Γ	П
					\	1	9.1		9	1				П			-		=		ı	n	r	5			a	J	3	a		Г	П
			ŀ					ľ		Γ																							П
1	3	25		F	γ	Į.	33	6			Γ										Γ										П		П
					V	1	1	1	1	7	8						E		3	29	88	4	3.	ı							П		П
			ŀ		þ.	1	6	e		Γ	Γ				I						!	ı			~	12	_			И	Ne	. <	
	3	,					$\left[\right]$				Γ															Ĭ							
13		6	;	V	-	5:	3 -		3						7	1	٦																П
[1	1	24	ч	Н	5		8					į	٤	1	3 2	2	१८	0	9	. 4			٦	3	7				
				1	٤	1	Ι,	Ç						7			2	ı		٦	7.					a				1	m		3
																Ī						_				Ť	-	1	٦	Ť			
1)	50	,	P	7.	3	3	ø		·				T		1	2	Á	2					7					1		Π		
				~	•	2	4	49	57	9		,	1	1		Т	E	7	7	9	9	G	5	. (1	7			7	7
П			2	1	,-,		٠	2						1	1	Т	7	_ 1		- 1	7	ı	- 1	- 1	_	`4			4	,/	76		น
													1			1	1		1)	IJ				1		Ī		Ť	1	Ϊ	Ī	4
1	3	59	3.	P	٧	٠:	5%	9				1	1	Ī	1	T	Î	1	1	1				1	1	1	7	1	1	1	1	7	7
				N				4		,	3	1	T	T	1	T	-	•	1	7	A	4	K F	2.	7	1	7	1	1	7	T	7	٦.
				D					6		1	1			T	Ť	T		ار			0		1	4	4	j		7	7	4	-	
[]											1	1		T	T	T	Ī	Ť	M,	J		4		,	. 1	Ť	1	1	1	Ť	1	1	1
						-	:			·		†	T	1	1	1	†	†	1	7	4	٦	Ī		1	†	1	1	†	†	†	†	1
									_							†																	

14 APRIL ZOLO 1406 PV-540 N 244516.2 F 323964.1 Ree 11.5m sind w/ not D= 1.0 ft and peat 1413 PV-541 N 244489.Z £ 328982.7 Rec 7.0 in sond w D= 1.5 FL 11Me peas PV-542 1432 N 244352.3 € 32096.5 D=0.6 St Rec: 3.5 in with who car PV-843 H 2448 & E44371.8 E 325845.2 1438 0=1.5 Pm Rec= 8 in reasons and

୍ /୪	A	R	<u>'</u>	2	0	1	3				_		L		_			r			_	_	_	Γ		_	_	_	т
VA	VE4	4	43	↲	P	4	Ŋ	E		Y		<u>C</u>	24	ŀ	120	×.	72	4		P	a	2	e	24	•	Ļ	_	L	1
lan	لم	4	Ŀ	#				1	9	a	Ł	a		ı	A		٤	4	ľ	-	6	_	L		L	Ĺ	Ŀ	L	1
	\prod	_		$oldsymbol{ol}}}}}}}}}}}}}}}$	Ľ	L		14	2	az/		2			3	=	L	6	7 .		12	"		L		L		L	1
		\downarrow	\downarrow	\downarrow	L				L			L	Ľ			L	L				L	L	L	L	L	L	L		ļ
100	20	4	1		_			Z	ù	2	ے	L		L	L		L			,	Ŀ		L		L			L	
1		1	4	-	A	L		1	9	3:	_				L	L	L			L	L		L		L		Ц	_	1
45	F	p	V	_]	<u>u</u>	P	L		,,	L				L	L	L		L	L	L		L							
							L		L	L	L			L	L	L	L	L	L			L	L					L	
PV	. <u>C</u>	2	<u>.</u>	. 1	1		L	0	4	5	L				L			L		L	L		L					_	
الاط		26	-1	·	1		1	0	4	6	L		L	L	L	L		ļ		L	Ŀ	L	L		L				
								L			L				L	L			L		L			L	L				
PY	5.	3 2	_	4			1		2	2																			
											L									L			L	L					
PV-	ſ,	34	Ţ	A			,	0	5														L						
111	5	- 1	- 1			/	1	34															L						
				T		Γ					Г						Γ		Γ	Ţ.									1
PV.	\$ 2	25		A		//	1	3	F		Γ						Γ					Γ							
AV.	\$2	- 1		B	1	1/	, ,																		Γ				I
			1												Γ			Γ		Γ					Γ				
PV-	5	42	,		4	T	Γ			8,	5	Γ									Γ	Γ	Γ	Γ					Ī
AV.		- 1	- 1	1		ų s		1	13	i		Ţ											Γ			Г			1
PV			- 1		1		1	1	П	0		Γ						l		Γ	Γ	Γ							1
$\rho_{V} _{\sim}$	14/		R			T		Ι'	3	ı	Γ	·	T		Γ		Γ		Ī	T	Γ	Γ	T	Ī		Γ			1
4	۷,	7	J	12		T	Γ	,,	ı						Γ	T	Γ	T	Ī	T	Ī	Γ	ľ	Γ	Γ				İ
 	T	Ĭ	7	Ī	\dagger	1		T	T	Γ	Г		T		T	T	T	T	T	T	T	T		T	T	Ī	Γ		1

	Vineland	·	Wine land
	D Phase V Sed Pro	Cessing	15 APRIL 2010 Phase V Jed. Processing
Vample ID	Time	•	Samuel Is Time
PV-538-A	1140		PV-923-A 1317
			PV-A23-B 1328
PV-530-A	1155		
			PV-543 A 1325
PV-531-A 1	757		AV 543 B 1326 TW
PV. 524-A 12	204		PV-R1-A 1330
PY-541-A 12	06		PV - 323 - A 1340
			PV-523-8 1341
PV-537-A 12	12		
4 PV-DUP3			PV-316-A 1845
PV. 542-A	1215		RU-R19-B 1355
			PV-R19-B 1356
PW 528-A	1222		
PV-528-B			PK+520-8 1405
PV- 528- A-45		-	14520-A 1405
PV- 528-A-45b			
FV- JZG-A-MSD	1442		14-520-B 11-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
PV-535-A		 	AV- 52a B-MS 1410
1 V-3 39-73	275		AV- 520-8-MSD 1410
0,4 0,12			·
PY-R18-A 12			PV-513-A 1420
PV-R18-B 12	56	-	AV-5/3-B 1421
		<u> </u>	


!

THE THE PARTY OF T

16 Apr: 1 2010	
Vanale ID To	
PV-522-A 09	25
PV - 527 B 092	
PV-527-A 0935	
AV-127-8 0930	
AV- 527 - B-MS 0932	╶
PV-527-8-MSD 0936	
AV-533-A 0950	
PN 538-8 09561	
	
MY- RZY-A OH 5 7	╶ ┼┼┼┼┼┼┼┼┼┼┼┼┼┼
PV 534-A 1000	┤╎┤┼┼┼┼ ┼┼┼┼┼┼┼┼┼┼
PV-56-A 1009	
AV - 53 - A 2015	
 	
AV - 536-A 1020	++++++++++++++++
43 PV - DUP 7	
AV-536-A-45 1020	┼┼┼┼┼┼┼┼┼┼┼┼┼
111 10 10 10 10 10 10 10 10 10 10 10 10	╃┸┸┩┸┸┸┸┸┸┸ ╎

-		\				
	16 A	PRIL 20	10			
	Sample	T		Time		
	PV-517	1 —	110			
	PV-517	В	110			
	PV-519	-A	1113			
					-	
	PV- R9.	A	11:17			
			<u> </u>		! ;	
	PV·R13	A	1123			
	• • • • •				,	†
	PV-R5	A 1	125			
	9.1 4/					
•	PV-R6-	A 11	27			
	P) / 0 : 0					-
:	PY- 212-	A 11	40			
	PV- SB-	A //5	12			·
	77- 08	7 77				
	PY - RZO	-A //4	4		<u> </u>	·
				M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	PV-R2	2-A	1230			
	La PY- I	DUPB	11			
	PV- R22		35			· · · · · · · · · · · · · · · · · · ·
	PV- RZZ-	B-HS	1235			
	PV- R22	B-MSD	1235			
,						

KO APRIL ZO	310	
Jample ID	Time	
PV- R2 - A	1245	
AV-23-A	1273	
PV-RIT-A	1249	
PV-SI-A	1500	
PV-510-A	1307	
PV 5/2 - 0	1304	
PY + 52 - A	1320	
PV-52-B	13/2	
PV- 59-A	1315	
AV - 59 B	A317	
PW-35-A	1325	
PV-55-B	1327	
4 PV- DUP 9	ا ا ا ا ا ا ا	
PV RIO A PV RIO B	1335	
AV- A10-0-1	45 1337	
PV-R10-B-	MSD 1337	



Client:				Project Manager:		-	p۵	ram	sters/	Met	od N	umb	rs fo	Ane	lveis			Chair	of Custody Record
EA Engine	ring Science	<u>,</u>		Peggy Derrick		П	Γ.		Ī	T	Ť	T	T	- Aua	1 1919	Т	П	Laboratory:	or Custody Record
and Techno	logy, Inc.				[USEPA	
				Phone: 410-329-5126		1	l											Region 2 Labor	
15 Loveton				Field Contact:							-				-			2890 Woodbrid	ge Ave.
Sparks, MI	21152			Todd Ward					Ī		- 1							Edison, NJ 088	37
N	10 1 179			Phone: 410-746-1250		g			- 1		ľ					1			
=	: Vineland Ph	asc V	sedim	ent sampling	- 1	Įğ	ļ			-				- [ĺ	Phone: 732-906	-6886
Project#:	62305.01			*	م	15			ı	-								ATTN: Mr. Joh	ın Birri/John Bourbon
N 1	•	_			No. of Containers	Arsenic EPA 200.7/6010B					- 1								
Page 1	of	7			—— g	A.										1	i		
		۱ ـ	Sediment		ĮŽ	i E													
.		Water	摄		0	§	Ì							İ					The second secon
Date	Time	*		Sample Identification	Ž	_		Н	-	4	-	1	_	4	+-	╄	L		Remarks
4/15/10	1035	<u> </u>	Х	PV-S29-A	1	X	L	Ш		4	4	<u> </u>	\dashv	_	1	1			
		<u> </u>	Х	PV-DUP1	1	X				\bot			\perp		$oldsymbol{\perp}$			Note: 28 day T.	AT required
4/15/10	1045		Х	PV-S26-A	1	x													
4/15/10	1046		X	PV-S26-B	1	x									\mathbf{I}				· -
4/15/10	1058		х	PV-S32-A	1	х													
4/15/10	1105		х	PV-\$39-A	1	X													
4/15/10	1106		х	PV-S39-B	1	х													
4/15/10	1115	<u> </u>	Х	PV-S25-A	1	Х													
4/15/10	1116		Х	PV-S25-B	1	х													
4/15/10	1130		Х	PV-S40-A	1	X													
4/15/10	1130		Х	PV-S40-A-MS	1	х													
4/15/10	1130		Х	PV-S40-A-MSD	1	х				\perp	\perp	\Box	\prod						
4/15/10	1131		х	PV-S40-B	1	x				\perp									
			X	PV-DUP2	1_	х			\perp	$oldsymbol{\perp}$		Ш			\perp				
4/15/10	1140			PV-S38-A	1	х			\perp	\perp									
4/15/10	1155			PV-S30-A	1	х		\downarrow	\perp	\perp		Ш	\perp	\perp	L	L			
4/15/10	1157			PV-S31-A	1	Х	Ц	\perp		\perp	↓_		\bot	\bot	_	L		· · · · · · · · · · · · · · · · · · ·	
4/15/10	1204		X	PV-S24-A	1	X							\perp						
_	(Signature)			Date/Time	Rel	inqu				natur							e/Tir		
	dear	<u>/_</u>		4/16/10 1430							لصر					14/	16	10 1700	
kelinguished	nquished by: (Signature) Date/Time					eive					Signat						e/Tir		

Client:		· · · ·		Project Manager:				Pa	rame	ters/N	1eth	od N	umb	ers f	or An	alysis	_		Chain of Custody Record
EA Enginee		è,		Peggy Derrick]					\top	T	Т	Т	Τ	П	T	Τ		Laboratory:
and Techno	logy, Inc.]	USEPA
L., .	. .			Phone: 410-329-51	126							1	1		11		j		Region 2 Laboratory
15 Loveton				Field Contact:															2890 Woodbridge Ave.
Sparks, MD	21152			Todd Ward				1			ı	1	1		1 1	- 1			Edison, NJ 08837
Project Name:	. Vineland Di	222 37	n di m	Phone: 410-746-12	430		_			1		1			ſΙ				TO 004 4004
r IUJOU INALISC.	. Aluciana Lu	ase v	ecanne	nt sampung			101	ı							H			1	Phone: 732-906-6886
Project#:	62305.01						7/6												ATTN: Mr. John Birri/John Bourbon
															H			l	
Page 2							¥.					1	1				-		
	Date Time A S Sample Identification									ŀ		l							
Date	Time	Water	Sedi	Sample Identific	ation	No. of Containers	Arsenic EPA 200.7/6010B						1						Remarks
4/15/10	1206			PV-\$41-A		1	х				T	1							
4/15/10	1212		х	PV-S37-A		ı	х			T	T	1							Note: 28 day TAT required
			х	PV-DUP3		1	х				T				П	T		Г	
4/15/10	1215		х	PV-S42-A		1	х				Τ	T			П				
4/15/10	1222		Х	PV-S28-A		ı	х												
4/15/10	1222		X	PV-S28-A-MS		1	х												
4/15/10	1222		Х	PV-S28-A-MSD		1	х							L					
4/15/10	1223		x	PV-S28-B		ı	х												
4/15/10	1245		X	PV-S35-A		1	х												
4/15/10	1255		Х	PV-R18-A		1	х												
4/15/10	1256		Х	PV-R18-B		1	х		\perp	\perp	\perp								
4/15/10	1317		х	PV-R23-A		1	х			\bot	L	L	$oldsymbol{ol}}}}}}}}}}}}}}}}}$		Ш				
4/15/10	1318		Х	PV-R23-B		1	х	_	_		1	\perp	<u> </u>	L	Ш		丄		
4/15/10	1325	L	Х	PV-S43-A		i	X	_	_	\bot	\perp	1	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	L	Ш		4_	L	
4/15/10	1330	_	X	PV-R1-A		1	X		\perp		\perp	\perp	<u> </u>	<u> </u>	Ц		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	$oxed{oxed}$	
4/15/10	1340	ļ	х	PV-S23-A						\bot	\perp	ــــــــــــــــــــــــــــــــــــــ	L	$oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{ol{ol}}}}}}}}}}}}}}}}}$	Ш		_		
4/15/10	1341	_		PV-S23-B		1	Х	_	_	_	\perp	1	L	L	\sqcup		\perp		
4/15/10	1345		Х	PV-S16-A		1	Х						_				_	Ļ	
Sampled by:				Date/Tim		Keli	ingui	shed	by:	(Sign	atur	3)						e/Ti	
	dha	4		7// <i>6//</i> 6	0 1430	n-		_//	<u>ede</u>	14	<u> </u>	~4							10 1700
venudmsued	inquished by: (Signature) Date/Time							а оу	Labo	orator	y: (S	ıgna	ture)				Dat	e/Ti	me

•

Client:				Project Manager:				Paran	neters	s/Met	hod	Nun	bers	for	Anal	vsis		_	Chain of Custody Record
	ering Scienc	e,		Peggy Derrick		Τ	T	T		П	T		T	T	T	T		Г	Laboratory:
and Techn	ology, Inc.			<u>L</u> .		1	1					ı							USEPA
15 Loveton	Clarate			Phone: 410-329-5126	_			-			1		ĺ		1				Region 2 Laboratory
Sparks, Mi				Field Contact: Todd Ward				1			- [1				1		2890 Woodbridge Ave.
oparas, Mi	D 21132			Phone: 410-746-1250								-	-						Edison, NJ 08837
Project Name	e: Vineland Pl	nase V	sedim	nt sampling	7	108													Phone: 732-906-6886
Project#:	62305.01					186													ATTN: Mr. John Birri/John Bourbon
Page 3	of	7			No. of Containers	Arsenic FPA 200 7/6010B													
Date	Date Time S Sample Identification							:				ļ							Remarks
4/15/10	1355			PV-R19-A	- -	1	_	+	\vdash	+	+	╅	+	╁	┿		\vdash		ACHAIR
4/15/10	1356			PV-R19-B	+	T _x	_	+-	H	\dashv	+	+	+	+	+		H		Note: 29 day TAT page to 1
4/15/10	1405			PV-S20-A	T _i	$\frac{1}{x}$	+	\top	H	\dashv	\dagger	+	\dagger	+-	+		H		Note: 28 day TAT required
				PV-DUP4	1	x	_	\top		7	+	十	十	+	†	-	\vdash		
4/15/10	1410		х	PV-S20-B	1	1	_	1	\Box	寸	+	1	t	1	1	-	\dashv		
4/15/10	1410		Х	PV-S20-B-MS	1	1	_				1	†	T	1					
4/15/10	1410		x	PV-S20-B-MSD	I	x	T				\top		T						
4/15/10	1420		х	PV-S13-A	1	x						T	T	Ť	T				
4/15/10	1421		Х	PV-S13-B	1	х							Τ	T			T		
4/15/10	1435		Х	PV-S15-A	1	Х	\perp						Т				T		
4/15/10	1436		Х	PV-S15-B	1	х						T	Ι	T					
4/15/10	1440		Х	V-R7-A	1	x	L						Ι						
4/15/10	1442		Х	V-RIS-A	1	х							T					Ī	
4/15/10	1446		х	V-R8-A	1	х					\prod	\prod							
4/15/10	1450		х	V-R16-A	1	х			$oldsymbol{\mathbb{I}}$	$oldsymbol{ol}}}}}}}}}}}}}}}}$	\int								
4/15/10	1451		Х	V-R16-B	1	x		$oxed{\Box}$	\perp			I					\int		
4/15/10	1505		$\overline{}$	V-S21-A	1	х	L											\prod	
4/15/10	1506		X	V-S21-B	1	x													
Sampled by:	(Signature)			Date/Time		inqu	ish	ed by:	(Sig	natur	e)					1	Date	Tin	ne
Tal	she	d		4/16/10 1430			<i></i> ب_	bole							· · · · ·	-			10 1700
zenndnisuea	inquished by: (Signature) Date/Time							y Lab	orato	гу: (S	Signs	ture)]	Date/	Tin	ie

Client:	 	_		Project M	anager:	Т		Pŧ	ramet	ters/M	etho	l Nu	mbers	for .	Analy	is		Chain of	Custody Record
EA Enginee	ering Science	в,		Peggy De			Т	Γ		T	Τ	П		T		Т	Т	Laboratory:	
and Techno	ology, Inc.																	USEPA	
				Phone: 4	10-329-5126	_	ŀ				1	Ιİ				-		Region 2 Laborate	
15 Loveton				Field Con		1	ł								1 1			2890 Woodbridge	Ave.
Sparks, MD	21152			Todd Wa					1 1	1				-				Edison, NJ 08837	
			· · ·		10-746-1250	4	١.,			1									
Project Name	: Vineland Ph	iase V	sedime	nt sampling			100			ı	1			Ì				Phone: 732-906-68	86
Project#:	62305.01			·····		۾ ا	0.76									ł		ATTN: Mr. John	Birri/John Bourbon
Page 4	of	7				ntainer	24 20												
		Water	Sediment			of Containers	Arsenic EPA 200.7/6010B												D
Date	Time	e Identification	o Z	₹	-	\vdash	-	┼		-+	+	+	+	-		Remarks			
4/15/10									\vdash	-	╁	\vdash	\dashv	- -		\dashv	+		
4/15/10	1516	-		PV-S4-B		1-	X	_		+	+	\vdash	-	+	+	+	+	Note: 28 day TAT	required
	ļ			PV-DUP5		1	X	_	$\vdash \vdash$	+	-	Н	\perp	+	+		+-		
4/15/10	1522	-		PV-R4-A		1	X	<u> </u>	-	+	╀	$\vdash \vdash$	+	+		_	+		
4/16/10	925			PV-S22-A		1	x		\vdash	-	╂	$\vdash \vdash$		\bot	-	_	+		
4/16/10	926	_		PV-S22-B		1	X	<u> </u>		\perp	┷	\vdash	-+	-	11		—		
4/16/10	935	ļ		PV-S27-A		1	X	_	\sqcup	\bot	┷	\sqcup	\perp	+	1-1	\perp	\bot	ļ	
			_	PV-DUP6		1	x	_	\sqcup	_		\sqcup	_	4	1-1		-		
4/16/10	936		Х	PV-S27-B		11	X	_		\bot	↓_	Ш	_	\bot	\bot		╽		
4/16/10	936	<u> </u>	Х	PV-S27-B-MS		1	x	<u> </u>	\sqcup		╄	Ш	_	_	11		_		
4/16/10	936	ļ	X	PV-S27-B-MS	D	1	X		Ш	\bot	$oldsymbol{\perp}$	Ш	4	\bot	11		1		
4/16/10	950		X	PV-S33-A		1	X	L			┸	Ш	_	\perp	Ш	\perp	1_		· · · · · · · · · · · · · · · · · · ·
4/16/10	951		Х	PV-S33-B		1	X	L	Ш	1	↓_	Ш		_	$\perp \perp$		\perp		
4/16/10	957		х	PV-R21-A		1	x	L	Ц	_	<u> </u>	Ц	_	\bot	\perp		\perp		
4/16/10	1000			PV-S34-A		1	x		\sqcup	\bot	↓_	Ш	_		$\perp \perp$	_	\bot		
4/16/10	4/16/10 1009 X PV-S6-A							L		\perp	_	Ш	\perp	\perp	$\perp \perp$	\perp	\perp		
4/16/10	1015		Х	PV-S3-A	·····	1	x		Ш	\perp		Ш	\perp	\bot			\perp		
4/16/10	1020		Х	PV-S36-A		1	х	L.				Ш							
Sampled by:	(Signature)				Date/Time	Rel	ingu	ishe	d by:	(Sign	ature))	•			D	ate/Ti	me	
Tools	dela	/			4/16/10 1430	$oxed{oxed}$		1	de	1h	<u> </u>	1						110 1720	
Relinquished	linquished by: (Signature) Date/Time							ed by	y Labo	orator	y: (Si	gnatu	ure)			D	ate/Ti	me	the sign of the second second second second

. .

Client:				Project Manager:				Para	mete	rs/M	ethor	i No	mh	re fe	- Λ.	alve	ie		Chain of Custody Record
	ering Scienc	е,		Peggy Derrick	<u> </u>	Т	Т	<u> </u>	T	1	1	1 1 1 1	<u> </u>	<u>ר</u>		iar ys	13	Т	Laboratory:
and Techn	ology, Inc.			i					1							- 1	1		USEPA
				Phone: 410-329-5126															Region 2 Laboratory
15 Lovetor				Field Contact:					1							- [2890 Woodbridge Ave.
Sparks, M	D 21152			Todd Ward							١.								Edison, NJ 08837
				Phone: 410-746-1250		وا	اه											1	1
Project Nam	e: Vineland Pf	iase V	sedime	ent sampling		18	<u> </u>										- 1		Phone: 732-906-6886
Project#:	62305.01				。		<u> </u>					1		İ		1			ATTN: Mr. John Birri/John Bourbon
Page 5	of	7			No. of Containers	40103/C 00C 403 -:	[]												
						6		İ		İ	l								
		펄	Sediment	•	je Je														
Date	Time	Water	Şeq	Sample Identification	Ŕ		3												Remarks
			Х	PV-DUP7	1	1	ĸ		T								T		
4/16/10	1020		X	PV-S36-A-MS	1];	K												Note: 28 day TAT required
4/16/10	1020		X	PV-S36-A-MSD	1];	ĸ										T	T	
4/16/10	1100		x	PV-S17-A	1	7	ĸ		Г								T	T	
4/16/10	1101		х	PV-\$17-B	1	7	ζ												
4/16/10	1113		х	PV-S19-A	1	7	ď												
4/16/10	1117		Х	PV-R9-A	1	,	<u> </u>	\perp		Ľ									
4/16/10	1123		Х	PV-R13-A	1	12	<u> </u>		\perp									\perp	
4/16/10	1125	ļ	Х	PV-R5-A	1	}	<u> </u>												
4/16/10	1127	lacksquare	Х	PV-R6-A	1	12	4	\perp											
4/16/10	1140		X	PV-R12-A	1	/2	4	\perp	╽	L				_		\perp	\perp	\perp	
4/16/10	1142		Х	PV-S8-A	1	2	4	\perp	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$			_	_				\perp		
4/16/10	1144		Х	PV-R20-A	1	Ŀ	4	┸	$oldsymbol{ol}}}}}}}}}}}}}}}}}$	L				\perp			\perp		
4/16/10	1230		Х	PV-R22-A	1	>	1	丄	\perp								┙	\perp	
	ļ		Х	PV-DUP8	1	<u> </u> 2	4	\perp	\perp	Ш					\perp	\perp			
4/16/10	1235		\rightarrow	PV-R22-B	1	<u> </u> 2		_	\perp	Ш		\Box	\bot	\bot			\perp	\perp	
4/16/10	1235			PV-R22-B-MS	1	X	_	\bot	↓_	Ш	_		\bot	\perp	\perp	_	\perp	\perp	
4/16/10	1235		X	PV-R22-B-MSD	1	1.		ــِـــ		Ш				\bot	\perp		\perp	1	
	(Signature)	,		Date/Time 4/14/10 1430	Ke	linq				ignat		_	,						Time
Relinguisha	d by: (Signatu	9/		Date/Time						1		1					4	<u>'//</u>	6/10 1700
quisilei	Date Title								oora	tory:	(Sig	natu	re)					ate/T	ime

lient:			_	Project Manager:			P	arame	ters/N	fetho	d Nu	mbe	rs fo	r Ana	llysis			Chain of Custody Record																		
A Engineend Techno	ering Science clogy, Inc.	·,		Peggy Derrick Phone: 410-329-5126														Laboratory: USEPA Region 2 Laboratory																		
5 Loveton parks, MD				Field Contact: Todd Ward Phone: 410-746-1250			:								:			2890 Woodbridge Ave. Edison, NJ 08837																		
•	ject Name: Vineland Phase V sediment sampling												:					Phone: 732-906-6886 ATTN: Mr. John Birri/John Bourbon																		
age 6	ge 6 of 7					000 40																														
Date	Time	Water	Sediment	Sample Identification	No. of Containers	Arsenic EPA 200 7/6010R												Remarks																		
4/16/10	1245		X	PV-R2-A	1	7					l				\perp																					
4/16/10	1247		X	PV-R14-A	1	7,												Note: 28 day TAT required																		
4/16/10	1249		Х	PV-R17-A	1)									Π																					
4/16/10	1300		Х	PV-S1-A	1	7	<u>د</u>																													
4/16/10	1302		Х	PV-S10-A	1	7										Π																				
4/16/10	1304		Х	PV-S12-A	1	7,		П		Т					Т	Т																				
4/16/10	1310		Х	PV-S2-A	1	7,		П		Τ		П				T	Γ																			
4/16/10	1312		Х	PV-S2-B	1	7			\neg	Т							Г																			
4/16/10	1315		х	PV-S9-A	ı	7	7			1					T	Т																				
4/16/10	1317		X	PV-\$9-B	1	٦,	7			T		П		\exists	1	Τ																				
4/16/10	1325		Х	PV-S5-A	1	7	3		\neg	1		П				1																				
4/16/10	1327		х	PV-S5-B	1	7,	7								Т	Π																				
			х	PV-DUP9	1	7		\prod																												
4/16/10	1335		Х	PV-R10-A	1	,	(
4/16/10	1337		Х	PV-R10-B	1	7								\prod		L																				
4/16/10	1337		Х	PV-R10-B-MS	1	,								\Box																						
4/16/10	1337		Х	PV-R10-B-MSD	1	7																														
4/16/10	1342		X	PV-S11-A	1	Ţ		П																												
Tool	(Signature)	<u> </u>		Date/Time 4/16/10 14	30			ed by:	th	h	_/	,				4		10/10 1700																		
lelinquished	i by: (Signati	ire)		Date/Time	Re	cei	ved t	y Lab	orator	y: (Si	gnat	ure)				Da	te/Ti	ime Visit in the second second second second second second second second second second second second second second Second second Client:				Project Manager:	T		P	aram	eters/	Met	nod N	lumi	ers i	for A	naly	sis		Chain of Custody Record
---------------	--------------	------------	----------	------------------------------------	-------------------	-------------------------	----------	----------	----------	---------	----------	---------	----------	-------------	----------	----------	--------------	--																		
EA Enginee		2 ,		Peggy Derrick			Π		П				T				T	Laboratory:																		
and Techno	logy, Inc.			Di														USEPA																		
15 Loveton	Circle			Phone: 410-329-5126 Field Contact:	\dashv						-							Region 2 Laboratory																		
Sparks, MD				Todd Ward							1							2890 Woodbridge Ave. Edison, NJ 08837																		
				Phone: 410-746-1250							-							DGISOII, 11, 00057																		
Project Name:	Vineland Ph	ase V	sedim	nt sampling		8				ı				$ \cdot $	[-	Phone: 732-906-6886																		
Project#:	62305.01				ŧ	198							1				i	Laboration of the second of th																		
r rojectw.	02303.01				— ક્ષ	16										- }		ATTN: Mr. John Birri/John Bourbon																		
Page 7	of	7			iai	\ \ \ \ \				İ						-																				
			Sediment		No. of Containers	Arsenic EPA 200.7/6010B						Į				-																				
		Water	ļġ.		0.0	Sen												Damarka																		
Date	Time	≱		Sample Identification		1	├	H	\dashv	+	+	+	+	╀┤	_	\dashv	-	Remarks																		
4/16/10	1344			PV-S11-B	1	x	╀	\vdash		+	+	1	\bot	\vdash		-	4																			
4/16/10	1347			PV-R3-A	1	X	\vdash	\sqcup		4	4	\bot	\vdash	\sqcup	_	_	\downarrow	Note: 28 day TAT required																		
4/16/10	1349	<u> </u>		PV-R3-B	1	X	<u> </u>	Ш	_	_	_	1	<u> </u>		_	\perp	4																			
4/16/10	1355	<u> </u>	Х	PV-S14-A	1	X	L	Ш		4		1	1_	Ш		\perp	┙																			
4/16/10	1357		Х	PV-S14-B	1	Х	_		_	\perp		\perp					\perp																			
4/16/10	1400		х	PV-R11-A	1	x	<u> </u>																													
4/16/10	1400		Х	PV-R11-A-MS	1	x			\perp		\perp	\perp																								
4/16/10	1400		x	PV-R11-A-MSD	1	x	L					1																								
4/16/10	1402		Х	PV-R11-B	1	x																														
			Х	PV-DUP10	1	x			П	Т							Т																			
4/16/10	1408		X	PV-S7-A	1	х		П						П	T	T	7																			
4/16/10	1410		х	PV-S7-B	1	х			T	T		T		П	T	丁	\top																			
4/16/10	1415		х	PV-S18-A	1	х		П	T	十	1			П	7	1	十																			
					ヿ゙	Ϊ		П	\dashv	\top	十	+	T	H	+	十	+																			
						\vdash			十	十	+	+		\vdash	+	\top	\dagger																			
-						┢		H	\dashv	+	+	+	\vdash	╁┼	-+	+	+																			
			-			┢─	\vdash	\vdash	\dashv	+	+	+-	\vdash	H	十	+	+																			
		-			+	<u> </u>	\vdash	\vdash	+	+	+	╁	\vdash	\vdash	\dashv	+	+																			
Sampled by:	(Signature)			Date/Time	Reli	ina:	ishe	d bv:	(Sig	nativ	e) -L			Ш			late/	Time																		
	Mha			4/16/10 1430			7		h)	-, ,					-	4/,	10 1700																		
					\bot		•																													
Relinquished	by: (Signatu	re)		Date/Time	Rec	eive	d by	Lab	orato	ry: (Signa	ture)				D	ate/	Time																		

Case Narrative: Vineland Chemical #10040039

The National Environmental Laboratory Accreditation Conference (NELAC) is a voluntary environmental laboratory accreditation association of State and Federal agencies. NELAC established and promoted a national accreditation program that provides a uniform set of standards for the generation of environmental data that are of known and defensible quality. The EPA Region 2 Laboratory is NELAC accredited. The Laboratory tests that are accredited have met all the requirements established under the NELAC Standards.

Comment(s):

- The contaminant concentrations for all sediment/soil samples are reported on a "dry-weight" basis.
- All field samples designated with a "MS" or "MSD" were treated as environmental samples and reported as such. A separate matrix spike sample is prepared, analyzed and evaluated for each batch of 20 samples; however, the results for this sample, and other QC samples associated with each batch, are not included in the Laboratory report.

Data Qualifier(s):

- U- The analyte was not detected at or above the Reporting Limit.
- J- The identification of the analyte is acceptable; the reported value is an estimate.
- K- The identification of the analyte is acceptable; the reported value may be biased high.
- L- The identification of the analyte is acceptable; the reported value may be biased low.
- NJ-There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification. The reported value is an estimate.

Reporting Limit(s):

The Laboratory was able to achieve the appropriate Reporting Limit for Arsenic as requested.

Method(s):

All methods that are NELAC accredited in the Laboratory are noted with "NELAC" at the end of the method reference.

- TAL Metals Analysis (As), EPA SOP C-109 (ICP/AES Method)

Date: 5/21/10

EA ENGINEERING SCIENCE AND TECHNOLOGY

MAY 26 2010

RECEIVED SPARKS, MD



U.S. Environmental Protection Agency Region 2 Laboratory 2890 Woodbridge Avenue Edison, NJ 08837

Data Report: VINELAND CHEMICAL

Project Number: 10040039

Program: Y206E

Project Leader: ERIKA MCCORMICK

Remark Codes	Explanation
υ	THE ANALYTE WAS NOT DETECTED AT OR ABOVE THE REPORTING LIMIT.
Ţ	THE IDENTIFICATION OF THE ANALYTE IS ACCEPTABLE, THE REPORTED VALUE IS AN ESTIMATE.
. M	THE ANALYTE WAS NOT DETECTED AT OR ABOVE THE REPORTING LIMIT. THE REPORTING LIMIT IS AN ESTIMATE.
N	THERE IS PRESUMPTIVE EVIDENCE THAT THE ANALYTE IS PRESENT; THE ANALYTE IS REPORTED AS A TENTATIVE IDENTIFICATION.
ŊJ	THERE IS PRESUMPTIVE EVIDENCE THAT THE ANALYTE IS PRESENT; THE ANALYTE IS REPORTED AS A TENTATIVE IDENTIFICATION. THE REPORTED VALUE IS AN ESTIMATE.
R	THE PRESENCE OR ABSENCE OF THE ANALYTE CANNOT BE DETERMINED FROM THE DATA DUE TO SEVERE QUALITY CONTROL PROBLEMS. THE DATA ARE REJECTED AND CONSIDERED UNUSABLE.
K	THE IDENTIFICATION OF THE ANALYTE IS ACCEPTABLE; THE REPORTED VALUE MAY BE BIASED HIGH. THE ACTUAL VALUE IS EXPECTED TO BE LESS THAN THE REPORTED VALUE.
L	THE IDENTIFICATION OF THE ANALYTE IS ACCEPTABLE; THE REPORTED VALUE MAY BE BIASED LOW. THE ACTUAL VALUE IS EXPECTED TO BE GREATER THAN THE REPORTED VALUE.
NV.	NOT VALIDATED
INC	RESULT NOT ENTERED

.eport Date: 5/17/2010 1:50PM

Page 1 of 32



U.S. EPA Region 2 Laboratory Data Report

Survey Name: VINELAND CHEMICAL

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S29-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number

7440-38-2 ARSENIC Remark_

Codes

Result

Units mg/Kg

Field/Station ID: PV-DUP1

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name Remark_

Units

Field/Station ID: PV-S26-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Remark_ Codes

Units

340

mg/Kg

Field/Station ID: PV-S26-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name Remark

Codes

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S32-A

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2 ARSENIC Date Received: 4/19/2010.

Result

Remark_ Codes

16

mg/Kg

Field/Station ID: PV-S39-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_

Field/Station ID: PV-S39-B

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Date Received: 4/19/2010

Remark

Units

mg/Kg

Field/Station ID: PV-S25-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM Page 3 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S25-B

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analyte Name ARSENIC 7440-38-2

Remark_ Codes Result

5.5

Units mg/Kg

Field/Station ID: PV-S40-A

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analyte Name

Result

Remark Codes **Units**

Field/Station ID: PV-S40-A-MS

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number **Analyte Name** Result

Remark_ Codes

Units

7440-38-2

ARSENIC

mg/Kg

Field/Station ID: PV-S40-A-MSD

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

Remark_

CAS Number Analyte Name

Result

Codes

Units

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 4 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S40-B

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Remark

Units

Field/Station ID: PV-DUP2

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_

Result

Field/Station ID: PV-S38-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Remark

mg/Kg

Field/Station ID: PV-S30-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 5 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S31-A

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number 7440-38-2

Analyte Name

ARSENIC

Date Received: 4/19/2010

Remark_

Codes

Result 40

<u>Units</u>

mg/Kg

Field/Station ID: PV-S24-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark Codes

Units

Field/Station ID: PV-S41-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

7440-38-2

ARSENIC

Result 5.4

Remark_ <u>Codes</u>

<u>Units</u>

mg/Kg

Field/Station ID: PV-S37-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Result

Remark_

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 6 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-DUP3

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2 **ARSENIC** Remark

Codes Result

Units mg/Kg

Field/Station ID: PV-S42-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Field/Station ID: PV-S28-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Remark

Result

.21

Codes

Units mg/Kg

Field/Station ID: PV-S28-A-MS

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Result

Remark

Codes

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 7 of 32

Project Number: 10040039

*Sorted By Sample ID

AM01278

Field/Station ID: PV-S28-A-MSD

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number

7440-38-2

ARSENIC

Remark

Result

Codes

Units

20

mg/Kg

Field/Station ID: PV-S28-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_

Codes

Units

Result

Field/Station ID: PV-S35-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

7440-38-2

ARSENIC

Remark Codes

Units

2.6

mg/Kg

Field/Station ID: PV-R18-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number

Remark

Result

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 8 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R18-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Remark Result

Codes 1.5U

Units mg/Kg

Field/Station ID: PV-R23-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Field/Station ID: PV-R23-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

7440-38-2

Analyte Name

ARSENIC

Result

Remark

Codes

Units

0.81U mg/Kg

Field/Station ID: PV-S43-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 9 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R1-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Remark

Codes 0.85U

Result

Result

Result

10

Units mg/Kg

Field/Station ID: PV-S23-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_

Codes

Units

Field/Station ID: PV-S23-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2 **ARSENIC** Remark

Codes

Units mg/Kg

Field/Station ID: PV-S16-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Units

Result

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 10 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R19-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Remark

Result

Units

mg/Kg

Field/Station ID: PV-R19-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Units

Field/Station ID: PV-S20-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Result

Remark Codes

Units mg/Kg

Field/Station ID: PV-DUP4

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Units

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 11 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S20-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Remark Codes

Result

Units

mg/Kg

Field/Station ID: PV-S20-B-MS

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark Codes

Units

Field/Station ID: PV-S20-B-MSD

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Remark_ Codes

Units

mg/Kg

Field/Station ID: PV-S13-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark_

Codes

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 12 of 32

U.S. EPA Region 2 Laboratory Data Report

Survey Name: VINELAND CHEMICAL

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S13-B

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Date Received: 4/19/2010

Remark

Result 230

mg/Kg

Field/Station ID: PV-S15-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Field/Station ID: PV-S15-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result 240

Remark_

Codes

Units

mg/Kg

Field/Station ID: PV-R7-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 13 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R15-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number **ARSENIC** 7440-38-2

Remark

Codes Result 6.5

Units mg/Kg

Field/Station ID: PV-R8-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Units

Field/Station ID: PV-R16-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number

7440-38-2

Result

Result

Remark_

Codes

Units

ARSENIC

2.1

mg/Kg

Field/Station ID: PV-R16-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name Remark_

Result

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 14 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S21-A

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2 ARSENIC Date Received: 4/19/2010

Remark

Codes Result 18

Units mg/Kg

Field/Station ID: PV-S21-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Field/Station ID: PV-S4-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

7440-38-2

ARSENIC

Result 2.4

Units mg/Kg

Field/Station ID: PV-S4-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Units

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 15 of 32

Project Number: 10040039

*Sorted By Sample ID

AM01310

Field/Station ID: PV-DUP5

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Remark

<u>Result</u>

Result

<u>Codes</u> 0:97U

Units mg/Kg

Field/Station ID: PV-R4-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark Codes

Units

Date Received: 4/19/2010

Field/Station ID: PV-S22-A

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Remark

Result

270

Codes

Units

mg/Kg

Field/Station ID: PV-S22-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark

Units

Codes

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 16 of 32

Project Number: 10040039

*Sorted By Sample ID

AMBIS14

Field/Station ID: PV-S27-A

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analy 7440-38-2 AR

Analyte Name ARSENIC Res

Result 110 Remark_ Codes

Units mg/Kg

4401315

Field/Station ID: PV-DUP6

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark_ Codes

<u>Units</u>

A A SOUTH

Field/Station ID: PV-S27-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name
7440-38-2 ARSENIC

Result

Remark_ Codes

Units mg/Kg

ATRIOLÍSE7

Field/Station ID: PV-S27-B-MS

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

_ .

Remark_ Codes

Codes

<u>Units</u>

Project Number: 10040039

*Sorted By Sample ID

AMB1318

Field/Station ID: PV-S27-B-MSD

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number 7440-38-2

Analyte Name

ARSENIC

Date Received: 4/19/2010

Remark

Result 8.1

Codes

Units mg/Kg

Field/Station ID: PV-S33-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Result

Codes

Units

Field/Station ID: PV-S33-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC.

Remark

Codes

Units

0.90U

mg/Kg

Field/Station ID: PV-R21-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Result

Remark_ Codes

Units

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 18 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S34-A

Matrix: Sediment ...

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Date Received: 4/19/2010

Remark Codes

Result

63

Units mg/Kg

Field/Station ID: PV-S6-A

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number

Analyte Name

Date Received: 4/19/2010

Field/Station ID: PV-S3-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

7440-38-2

ARSENIC

Result

Remark_

Codes

Units mg/Kg

Field/Station ID: PV-S36-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 19 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-DUP7

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

ARSENIC 7440-38-2

Remark

Result

Codes

Units

1.1

mg/Kg

Field/Station ID: PV-S36-A-MS

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analyte Name

Result

Remark_

Codes

Units

Field/Station ID: PV-S36-A-MSD

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Remark_

Codes

Units

0.79U

mg/Kg

Field/Station ID: PV-S17-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name

Result

Remark

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 20 of 32

Project Number: 10040039

*Sorted By Sample ID

ANIOL330

Field/Station ID: PV-S17-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyt

Analyte Name ARSENIC Result 3.2 emark_

odes

Units mg/Kg

Legista

Field/Station ID: PV-S19-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Result

Remark_

Units

The K

AM01332

Field/Station ID: PV-R9-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

7440-38-2

ARSENIC

Result 1.5 Remark

Codes

<u>Units</u>

mg/Kg

AMOUNT

Field/Station ID: PV-R13-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Ana

Analyte Name

ATCHNI

Result

Remark_

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 21 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R5-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number **Analyte Name** 7440-38-2

ARSENIC

Remark Codes

Result 0.92

Result

Units mg/Kg

Field/Station ID: PV-R6-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Units

Field/Station ID: PV-R12-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number 7440-38-2 **ARSENIC**

Result 1.0

Remark_ **Codes**

Units mg/Kg

Field/Station ID: PV-S8-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark_ Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 22 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R20-A

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analyte Name 7440-38-2

ARSENIC

Result 500 Remark

Units

Field/Station ID: PV-R22-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Field/Station ID: PV-DUP8

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Remark_

1.5U

Field/Station ID: PV-R22-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM Page 23 of 32

Project Number: 10040039

*Sorted By Sample ID

AM01342

Field/Station ID: PV-R22-B-MS

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name **ARSENIC** 7440-38-2

Date Received: 4/19/2010

Result

Remark_ Codes

Units mg/Kg

0.77U

Field/Station ID: PV-R22-B-MSD

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark_ Codes

Units

Field/Station ID: PV-R2-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number

7440-38-2

ARSENIC

Result

Remark

Codes

Units

0.94U

mg/Kg

Field/Station ID: PV-R14-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark_

Codes Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 24 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R17-A

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number 7440-38-2

Analyte Name

ARSENIC

Date Received: 4/19/2010

Result 19

Codes

Units mg/Kg

Field/Station ID: PV-S1-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Field/Station ID: PV-S10-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Result

Remark_

Codes

Units

12

mg/Kg

Field/Station ID: PV-S12-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Remark

Result

Codes

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 25 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S2-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name **ARSENIC** 7440-38-2

Remark_

Codes 1.1U

Result

Result

Units mg/Kg

Field/Station ID: PV-S2-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Codes

Units

Field/Station ID: PV-S9-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number

Result

Remark_ Codes 2.1U

Units mg/Kg

7440-38-2

ARSENIC

Date Received: 4/19/2010

Field/Station ID: PV-S9-B

Matrix: Sediment

Sample Description:

Single Component Analyses

Remark_

CAS Number Analyte Name

Result

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 26 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S5-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010-

Single Component Analyses

CAS Number 7440-38-2

Analyte Name

ARSENIC

Result 3.3

Remark

Codes

Units mg/Kg

Field/Station ID: PV-S5-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark

Field/Station ID: PV-DUP9

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

7440-38-2

ARSENIC

Remark_

Codes

0.95U

mg/Kg

Field/Station ID: PV-R10-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Remark

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 27 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R10-B

Matrix: Sediment

Sample Description:

Single Component Analyses

Analyte Name CAS Number 7440-38-2

ARSENIC

Date Received: 4/19/2010

Remark_

Codes

Result 2.3

Result

<u>Units</u>

mg/Kg

Field/Station ID: PV-R10-B-MS

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

Date Received: 4/19/2010

Remark

Codes

Units

M01360

Field/Station ID: PV-R10-B-MSD

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Date Received: 4/19/2010

Result 2.0

Remark

Codes

Units

mg/Kg

Field/Station ID: PV-SI1-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark_ Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 28 of 32

Project Number: 10040039

*Sorted By Sample ID

Annisc

Field/Station ID: PV-S11-B

Matrix: Sediment

Date Received: 4/19/2010

Sample Description:

Single Component Analyses

CAS Number Analyte Name 7440-38-2 ARSENIC
 Remark

 Result
 Codes
 Units

 - 0.99U
 mg/Kg

ann sie

Field/Station ID: PV-R3-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_
Result Codes Units

ANUINA

Field/Station ID: PV-R3-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2 ARSENIC

Field/Station ID: PV-S14-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_
Codes

mg/Kg

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-S14-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2 **ARSENIC**

Result

Remark Codes

0.71U

Units mg/Kg

Field/Station ID: PV-R11-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name Result

Remark_ Codes

Units

Field/Station ID: PV-R11-A-MS

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

Analyte Name CAS Number 7440-38-2

ARSENIC

Result

1.2

Codes

Remark_

Units mg/Kg

Field/Station ID: PV-R11-A-MSD

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Remark_

Codes

Units

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Page 30 of 32

Project Number: 10040039

*Sorted By Sample ID

Field/Station ID: PV-R11-B

Matrix: Sediment

Sample Description:

Single Component Analyses

CAS Number 7440-38-2

Analyte Name **ARSENIC**

Date Received: 4/19/2010

Remark

Result 2.7

Units mg/Kg

Field/Station ID: PV-DUP10

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

Result

Remark Codes

<u>Units</u>

Field/Station ID: PV-S7-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name

7440-38-2

ARSENIC

Remark

Codes

Units mg/Kg

Field/Station ID: PV-S7-B

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number

Analyte Name

Result

Result

27

Remark_

Codes

Units

Refer to Page 1 for an explanation of Remark Codes Report Date: 5/17/2010 1:50PM

Page 31 of 32



Project Number: 10040039

*Sorted By Sample ID

AM01374

Field/Station ID: PV-S18-A

Matrix: Sediment

Sample Description:

Date Received: 4/19/2010

Single Component Analyses

CAS Number Analyte Name 7440-38-2 ARSENIC Remark_

Codes

Units

Result 42

mg/Kg

Project Approval:

Refer to Page 1 for an explanation of Remark Codes

Report Date: 5/17/2010 1:50PM

Date

Page 32 of 32